

PRICE LIST
2.1

Information Notes

Fhiaba is constantly researching new ways to improve the features and the design of their products, therefore models are often upgraded and reviewed and this may result in aesthetic and technical changes in respect of what indicated in the pages hereafter. While we endeavour to keep the documentation constantly updated we recommend to always refer to the specific technical documentation for every design and installation requirement.

The Prices here indicated do not include VAT and

transport expenses. At any rate what indicated in this price list has no binding contract value and does not replace the sales conditions agreed with the Fhiaba commercial representatives.

Guarantee: in compliance with the European Law, Fhiaba offer a base guarantee of 2 years on their domestic appliances starting from the purchase date shown on the invoice or other purchase proof document. For information on how to request a service intervention during the period of guarantee do refer to the guarantee certificate which comes together with the appliance. The data relating to power and energy consumption are based on laboratory statistics and may vary in function of the conditions of use and installation environment of every single appliance.

INDEX

4 FHIABA'S SOLUTIONS

FRIDGES, FREEZER AND WINE CELLARS

- 6 FRIDGES, FREEZER AND WINE CELLARS
- 7 PRODUCT CODE
- 8 SUMMARY PRICES
- 13 WIDTH 90 CM (90)
- 71 WIDTH 75 CM (75)
- 123 WIDTH 60 CM (60)
- 169 WIDTH 45 CM (45)
- 182 ACCESSORIES


UNDERCOUNTER

- 192 PRODUCT CODE
- 193 SUMMARY PRICES
- 195 BEVERAGE CENTER & WINE CELLARS
- 217 TRIMODE DRAWERS
- 236 ACCESSORIES

BLAST CHILLER & VACUUM DRAWERS


- 241 BLAST CHILLER & VACUUM DRAWERS
- 242 BLAST CHILLER
- 246 VACUUM DRAWERS
- 250 ACCESSORIES

FRIDGES | FREEZERS | WINE CELLARS




*or a prosciutteria/cheese cabinet

Our patented **TriModeTM** drawers can be set to three different microclimates: freezer, fresco or fridge.



UNDERCOUNTER MODELS

Our undercounter models come in 5 versions, ideal for small spaces and use outdoors!



BLAST CHILLER AND VACUUM SEALER

The Fhiaba blast chiller has a Temperature ranges range from -40 $^{\circ}$ C to +75 $^{\circ}$ C.

With 11 functions, it makes creative, all-encompassing cooking quick and easy. Take food directly out of the oven, without even changing the tray!



THE FOUR DIMENSIONS OF QUALITY

Exclusive Fhiaba technology makes it possible to combine the four "key variables" of refrigeration, to create and maintain perfectly balanced climates.

Temperature ranges

Humidity

Ventilation

Time

Accurate Temperature ranges

Thanks to the numerous built-in sensors, the indicated Temperature ranges is always accurate.

TriPro Refrigeration ™

The triple cooling system ensures each ingredient and dish gets the right microclimate.

Uniform ProVentTM Ventilation

The ProVentTM system uniformly distributes cold air to all parts of the fridge.

Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.

Fhiaba is the only company in the world today with technology capable of managing three independent climate zones, for unrivalled, high-quality food storage.

Fhiaba systems also feature lateral refrigeration, thereby allowing for maximum use of the full depth of the inner compartments.









FRIDGES | FREEZERS | WINE CELLARS

PERSONALIZING YOUR FHIABA

Fhiaba offers a series of solutions to customize the refrigerator and make it a unique and tailor-made product.

- 1. Top compressor model (series: X-Pro, Country) and bottom compressors (series: Classic, Designer, Integrated, Brilliance integrated, Brilliance Classic)
- 2. Fully integrated, integrated and freestanding models
- 3. All the models available in 4 width: 45 / 60 / 75 / 90 cm
- 4. Independent climatic zones for unrivalled high-quality food conservation:
 - 1T: 3 separate Temperature ranges.
 - OT: 2 separate Temperature ranges + Low temp zone.
 - 0H: 2 separate Temperature ranges + Low temp zone.
 - OF: 1 separate Temperature ranges + Low temp zone for fridges.
 - OF: 2 separate Temperature ranges for wine cellars.
- 5. 7 lines: X-Pro, Country, Classic, Designer, Integrated, Brilliance Integrated, Brilliance Classic
- 6. Door opening: right or left hinge
- 7. Ice Maker
- 8. Water dispenser for 0F fridge columns 90 and 75 cm
- 9. Pair of stainless steel sides for freestanding installation
- 10. Glass door
- 11. Single grill and single plinth kit X-Pro Series
- 12. Customized stainless steel door front up to 8 cm
- 13. Built in Kit
- 14. Stainless steel cladding for customer's doors
- 15. Custom RAL color
- 16. Painting of stainless steel doors and panels, sides and handles as per color sample
- 17. Patented separate "EvenliftTM" shelves. Standard on 1T and Country models.
- 18. Door front panel for Integrated Series without handle
- 19. Possibility of installing customer handles on the Integrated Series
- 20. Fhiaba tubular handles diameter 30 mm
- 21. Fhiaba tubular handles diameter 18 mm
- 22. Stainless steel panels with holes for Fhiaba handles
- 23. Elegant central connecting kit & integration strips
- 24. Extra anti-tipping for insertion in structures with depth up to 80 cm
- 25. Anti-condensation kit: Monferlene panel for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)
- 26. Alternative energy kits: photovoltaic, geothermal, etc.
- 27. Support for tilting bottles
- 28. Wine exclusive accessories kit:
 - Wine kit
 - Cheese drawers
 - · Cigar drawers
 - · Set of knives
 - Prosciutteria Kit
- 29. Fhiaba link device: Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.
- 30. Panel installation to 50mm from ground level. (Integrated Series)
- 31. Front Ventilation kit (Classic and Integrated series)

PRODUCT CODE

KS 90 0T ST 6 Example: Digit # 1-> model series KS XS = X-Pro (top compressors, stainless steel front) AS= Country (top compressors, Built-in or Freestanding installation, Custom-colored front and sides, ice maker included) KS = Classic (bottom compressors, stainless steel front) RS = Designer (bottom compressors, stainless steel front) S = Integrated (bottom compressors, flush or built-in) BS = Brilliance - Integrated ((bottom compressors, flush or built-in, white interiors) BKS = Brilliance - Classic (bottom compressors, stainless steel front, white interiors) 90 digit # 2 > width 90 cm 75 cm 60 cm 45 cm OT digit # 3 > model configuration 1T = One door, one bottom drawer, three separate temperature OT = One door, one bottom drawer, two separate temperature OH = One door, two bottom drawers, two separate temperature OF = One door. Fridge and Freezer one temperature. Wine cellar two separate temperature. ST digit # 4 > function and door style ST = Fridge/Trimode, Solid door GT = Fridge/Trimode, Glass door WT = Wine Cellar/Trimode R = Fridge column G = Fridge column, Glass door Z = Freezer column W = Wine Cellar column 6 digit # 6 > hinge positioning 3 = Hinge on the left 6 = Hinge on the right digit # 7 > model options i = indicate a unit equipped with Ice Maker (not available on wine cellars, 60 fridges and 0F fridge models) D = Water dispenser (available only for OF fridge columns 90 and 75 cm)



							Top compressors								
PRECECT Process Proc						X-	Pro XS		Cou	ntry AS		Des	igner R		
FREEZER	Model	Version	Width	Hinge	Optionals	Product code	Price	Page	Product code	Price	Page	Codice prodotto	Prezzo	Page	Ī
	1T	FRIDGE	90	LH		XS901TST3	15.885€	16				RS901TST3	14.435 €	18	Ī
NINE CELLAR Policy CEL		+FREEZER		RH		XS901TST6	15.885€	16				RS901TST6	14.435 €	18	Ī
WINE CELLAR PO				LH	Ice maker	XS901TST3I	16.820 €	16	AS901TST3I	16.735 €	17	RS901TST3I	15.375 €	18	Ī
Cellar Ref				RH	Ice maker	XS901TST6I	16.820 €	16	AS901TST6I	16.735 €	17	RS901TST6I	15.375 €	18	
FRIDGE			90	LH		XS901TWT3	16.735 €	24	AS901TWT3	17.585 €	25	RS901TWT3	15.890 €	26	
TRIDGE FREZER F		CELLAR		RH		XS901TWT6	16.735 €	24	AS901TWT6	17.585 €	25	RS901TWT6	15.890 €	26	
PRIDGE			60	LH		XS601TWT3	14.550 €	138	AS601TWT3	14.795 €	139	RS601TWT3	13.225 €	140	
FREEZER				RH		XS601TWT6	14.550 €	138	AS601TWT6	14.795 €	139	RS601TWT6	13.225 €	140	
Heat)T	FRIDGE +	90	LH		XS900TST3	13.520 €	32				RS900TST3	12.010 €	36	
RH		FREEZER		RH		XS900TST6	13.520 €	32				RS900TST6	12.010 €	36	
Hear Responsible Respons				LH	Ice maker	XS900TST3I	14.445 €	32	AS900TST3I	14.310 €	34	RS900TST3I	12.950 €	36	
RH				RH	Ice maker	XS900TST6I	14.445€	32	AS900TST6I	14.310 €	34	RS900TST6I	12.950 €	36	
RH				LH		XS900TGT3	14.610 €	33				RS900TGT3	13.100 €	37	
LH						XS900TGT6	14.610 €	33				RS900TGT6	13.100 €	37	٠
RH			75		Ice maker, glass door	XS900TGT3I	15.545 €	33				RS900TGT3I	14.035 €	37	
Part						XS900TGT6I	15.545 €	33				RS900TGT6I	14.035 €	37	
RH					ioo makor, glado ado.	XS750TST3	13.220 €	82				RS750TST3	11.885 €	86	
LH						XS750TST6	13.220 €	82				RS750TST6	11.885 €	86	
RH					Ice maker	XS750TST3I	14.150 €	82	AS750TST3I	14.065 €	84	RS750TST3I	12.825 €	86	
LH				-				82			84		12.825 €	86	
RH					ice maker						-		12.985 €	87	
Head													12.985 €	87	,
RH					Ice maker glass door								13.910 €	87	
Column C													13.910 €	87	
RH			40		ice maker, glass door				ASANNTST3	13 460 €	1/18		11.405 €	150	
H			80										11.405 €	150	
RH Glass door X5600TGT6 14.065 € 147 RS600TGT6 12.490					Class dasa				A30001310	13.400 €	140				
WINE CELLAR The control of the c															
CELLAR RH		VA/INIT	7.5		Glass door										
FRIDGE + FREEZER FREEZ			/5											97	,
RH			/ 0										-		
FRIDGE + FREEZER			60											159	
FREEZER RH														159	
LH)H		90										-		
RH Ice maker X5900HST6 15.245 € 46 R5900HST6 14.165		ITTELLER												47	
75													14.165 €	47	
RH XS750HST6 13.340 € 102 RS750HST6 12.250 LH Ice maker XS750HST6I 14.275 € 102 RS750HST6I 13.190 WINE CELLAR 90 LH XS900HWT3 13.945 € 52 RS900HWT3 12.735 RH XS900HWT6 13.945 € 52 RS900HWT6 12.735				RH	Ice maker								14.165 €	47	-
LH Ice maker XS750HST3I 14.275 € 102 RS750HST3I 13.190 WINE CELLAR 90 LH XS900HWT3 13.945 € 52 RS900HWT3 12.735 RH XS900HWT6 13.945 € 52 RS900HWT6 12.735			75										12.250 €	103	
RH Ice maker XS750HST6I 14.275 € 102 RS750HST6I 13.190													12.250 €		-
WINE CELLAR 90 RH LH XS900HWT3 13.945 € 52 RS900HWT3 12.735 RH XS900HWT6 13.945 € 52 RS900HWT6 12.735				LH	Ice maker			102					13.190 €	103	_
CELLAR RH XS900HWT6 13.945 € 52 RS900HWT6 12.735				RH	Ice maker	XS750HST6I		102				RS750HST6I	13.190 €	103	_
Kn ASSOCIATO 18,740 S2 RESTORMED 12,740			90	LH		XS900HWT3	13.945 €	52				RS900HWT3	12.735 €		_
		CELLAR		RH		XS900HWT6	13.945 €	52				RS900HWT6	12.735 €	53	_
75 LH XS750HWT3 12.975 € 108 RS750HWT3 11.770			75	LH		XS750HWT3	12.975 €	108				RS750HWT3	11.770 €	109	_

		Bot	tom compres	SOFS							
Cla	Integrated S			Brilliance Classic BK			Brilliance Integrated				
Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Pag
KS901TST3	14.430 €	19	S901TST3	13.520 €	16						
KS901TST6	14.430 €	19	S901TST6	13.520 €	16						
KS901TST3I	15.365 €	19	S901TST3I	14.455 €	16						
KS901TST6I	15.365 €	19	S901TST6I	14.455 €	16						
KS901TWT3	15.885 €	27	S901TWT3	15.035 €	24						
KS901TWT6	15.885 €	27	S901TWT6	15.035 €	24						
KS601TWT3	13.220 €	141	S601TWT3	12.065 €	138						
KS601TWT6	13.220 €	141	S601TWT6	12.065 €	138						
KS900TST3	12.005 €	38	S900TST3	11.400 €	32	BKS900TST3	8.910 €	42	BS900TST3	8.270 €	43
KS900TST6	12.005 €	38	S900TST6	11.400 €	32	BKS900TST6	8.910 €	42	BS900TST6	8.270 €	43
KS900TST3I	12.940 €	38	S900TST3I	12.335 €	32	BKS900TST3I	9.730 €	42	BS900TST3I	9.090 €	43
KS900TST6I	12.940 €	38	S900TST6I	12.335 €	32	BKS900TST6I	9.730 €	42	BS900TST6I	9.090 €	43
KS900TGT3	13.095 €	39	S900TGT3	12.490 €	33						
KS900TGT6	13.095 €	39	S900TGT6	12.490 €	33						
KS900TGT3I	14.030 €	39	S900TGT3I	13.425 €	33						
KS900TGT6I	14.030 €	39	S900TGT6I	13.425 €	33						
KS750TST3	11.885 €	88	S750TST3	11.280 €	82	BKS750TST3	8.430 €	92	BS750TST3	8.060 €	93
KS750TST6	11.885 €	88	S750TST6	11.280 €	82	BKS750TST6	8.430 €	92	BS750TST6	8.060 €	93
KS750TST3I	12.820 €	88	S750TST3I	12.210 €	82	BKS750TST3I	9.250 €	92	BS750TST3I	8.880 €	93
KS750TST6I	12.820 €	88	S750TST6I	12.210 €	82	BKS750TST6I	9.250 €	92	BS750TST6I	8.880 €	93
KS750TGT3	12.975 €	89	S750TGT3	12.370 €	83						
KS750TGT6	12.975 €	89	S750TGT6	12.370 €	83						
KS750TGT3I	13.910 €	89	S750TGT3I	13.305 €	83						
KS750TGT6I	13.910 €	89	S750TGT6I	13.305 €	83						
KS600TST3	11.400 €	152	S600TST3	10.790 €	146						
KS600TST6	11.400 €	152	S600TST6	10.790 €	146						
KS600TGT3	12.490 €	153	S600TGT3	11.885 €	147						
KS600TGT6	12.490 €	153	S600TGT6	11.885 €	147						
KS750TWT3	12.250 €	98	S750TWT3	11.765 €	96						
KS750TWT6	12.250 €	98	S750TWT6	11.765 €	96						
KS600TWT3	11.035 €	160	S600TWT3	10.670 €	158						
KS600TWT6	11.035 €	160	S600TWT6	10.670 €	158						
KS900HST3	13.220 €	48	S900HST3	12.065 €	46						
KS900HST6	13.220 €	48	S900HST6	12.065 €	46						
KS900HST3I	14.150 €	48	S900HST3I	13.000 €	46						
KS900HST6I	14.150 €	48	S900HST6I	13.000 €	46						
	12.250 €										
KS750HST3	12.250 €	104	S750HST3	11.885 €	102						
KS750HST6		104	S750HST6	11.885 €	102						
KS750HST3I	13.180 €	104	S750HST3I	12.820 €	102						
KS750HST6I	13.180 €	104	S750HST6I	12.820 €	102						
KS900HWT3	12.735 €	54	S900HWT3	12.005 €	52						
KS900HWT6	12.735 €	54	S900HWT6	12.005 €	52						_
KS750HWT3	11.765 €	110	S750HWT3	11.765 €	108						



						Top comp							
					X	-Pro XS		Со	untry AS		De	signer R	
/lodel	Version	Width	Hinge	Optionals	Product code	Price	Page	Product code	Price	Page	Product code	Price	Pag
F	FRIDGE	90	LH		XS900FR3	12.735 €	58				RS900FR3	10.560 €	60
			RH		XS900FR6	12.735 €	58				RS900FR6	10.560 €	60
			LH	Water dispenser	XS900FR3D	13.665 €	58				RS900FR3D	11.485 €	60
			RH	Water dispenser	XS900FR6D	13.665 €	58				RS900FR6D	11.485 €	60
			LH	Glass door	XS900FG3	13.825 €	59				RS900FG3	11.645 €	61
			RH	Glass door	XS900FG6	13.825 €	59				RS900FG6	11.645 €	61
			LH	Glass door, water dispenser	XS900FG3D	14.760 €	59				RS900FG3D	12.585 €	61
			RH	Glass door, water dispenser	XS900FG6D	14.760 €	59				RS900FG6D	12.585 €	61
		75	LH		XS750FR3	12.250 €	114				RS750FR3	9.825 €	11
			RH		XS750FR6	12.250 €	114				RS750FR6	9.825 €	11
			LH	Water dispenser	XS750FR3D	13.180 €	114				RS750FR3D	10.765 €	11
			RH	Water dispenser	XS750FR6D	13.180 €	114				RS750FR6D	10.765 €	11
			LH	Glass door	XS750FG3	13.340 €	115				RS750FG3	10.915 €	11
			RH	Glass door	XS750FG6	13.340 €	115				RS750FG6	10.915 €	11
			LH	Glass door, water dispenser	XS750FG3D	14.275 €	115				RS750FG3D	11.850 €	11
			RH	Glass door, water dispenser	XS750FG6D	14.275 €	115				RS750FG6D	11.850 €	11
		60	LH		XS600FR3	12.005 €	164				RS600FR3	9.345 €	16
			RH		XS600FR6	12.005 €	164				RS600FR6	9.345 €	16
			LH	Glass door	XS600FG3	13.095 €	165				RS600FG3	10.435 €	16
			RH	Glass door	XS600FG6	13.095 €	165				RS600FG6	10.435 €	16
	WINE	90	LH		XS900FW3	13.520 €	68				RS 9 00FW3	12.070 €	17
	CELLAR		RH		XS900FW6	13.520 €	68				RS900FW6	12.070 €	69
		75	LH		XS750FW3	13.220 €	124				RS750FW3	11.770 €	12
			RH		XS750FW6	13.220 €	124				RS750FW6	11.770 €	12
		60	LH		XS600FW3	12.735 €	174				RS600FW3	11.165 €	17
			RH		XS600FW6	12.735 €	174				RS600FW6	11.165 €	17
		45	LH		XS450FW3	12.250 €	190				RS450FW3	10.800 €	19
			RH		XS450FW6	12.250 €	190				RS450FW6	10.800 €	19
	FREEZER	90	LH		XS900FZ3	12.005 €	74				RS900FZ3	11.165 €	75
			RH		XS900FZ6	12.005 €	74				RS900FZ6	11.165€	75
			LH	Ice maker	XS900FZ3I	12.940 €	74				RS900FZ3I	12.090 €	75
			RH	Ice maker	XS900FZ6I	12.940 €	74				RS900FZ6I	12.090 €	75
		75	LH		XS750FZ3	11.155 €	130				RS750FZ3	9.825 €	13
			RH		XS750FZ6	11.155 €	130				RS750FZ6	9.825 €	13
			LH	Ice maker	XS750FZ3I	12.090 €	130				RS750FZ3I	10.765 €	13
			RH	Ice maker	XS750FZ6I	12.090 €	130				RS750FZ6I	10.765 €	13
		60	LH		XS600FZ3	11.035 €	182				RS600FZ3	9.645 €	18
			RH		XS600FZ6	11.035 €	182				RS600FZ6	9.645 €	18
			LH	Ice maker	XS600FZ3I	11.970 €	182				RS600FZ3I	10.580 €	18
			RH	Ice maker	XS600FZ6I	11.970 €	182				RS600FZ6I	10.580 €	18
		45	LH		XS450FZ3	10.915 €	196				RS450FZ3	9.585 €	19
			RH		XS450FZ6	10.915 €	196				RS450FZ6	9.585 €	19
			LH	Ice maker	XS450FZ3I	11.845 €	196				RS450FZ3I	10.525 €	19
			RH	Ice maker	XS450FZ6I	11.845 €	196				RS450FZ6I	10.525 €	19

	[Bottom	compressors								
Classic K			Integrated S			Brillian	ce Classic BK		Brilliance Integrated BS		
Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
KS900FR3	10.550 €	62	S900FR3	9.640 €	58						
KS900FR6	10.550 €	62	S900FR6	9.640 €	58						
KS900FR3D	11.485 €	62	S900FR3D	10.575 €	58						
KS900FR6D	11.485 €	62	S900FR6D	10.575 €	58						
KS900FG3	11.640 €	63	S900FG3	10.730 €	59						
KS900FG6	11.640 €	63	S900FG6	10.730 €	59						
KS900FG3D	12.575 €	63	S900FG3D	11.665€	59						
KS900FG6D	12.575 €	63	S900FG6D	11.665 €	59						
KS750FR3	9.820 €	118	S750FR3	9.335 €	114						
KS750FR6	9.820 €	118	S750FR6	9.335 €	114						
KS750FR3D	10.755 €	118	S750FR3D	10.270 €	114						
KS750FR6D	10.755 €	118	S750FR6D	10.270 €	114						
KS750FG3	10.915 €	119	S750FG3	10.430 €	115						
KS750FG6	10.915 €	119	S750FG6	10.430 €	115						
KS750FG3D	11.845 €	119	S750FG3D	11.360 €	115						
KS750FG6D	11.845 €	119	S750FG6D	11.360 €	115						
KS600FR3	9.335 €	168	S600FR3	8.850 €	164						
KS600FR6	9.335 €	168	S600FR6	8.850 €	164						
KS600FG3	10.430 €	169	S600FG3	9.945 €	165						
KS600FG6	10.430 €	169	S600FG6	9.945 €	165						
KS900FW3	12.065 €	70	S900FW3	11.155€	68						
KS900FW6	12.065 €	70	S900FW6	11.155€	68						
KS750FW3	11.765 €	126	S750FW3	10.790 €	124						
KS750FW6	11.765€	126	S750FW6	10.790 €	124						
KS600FW3	11.155 €	176	S600FW3	10.305 €	174	BKS600FW3	8.910 €	178	BS600FW3	8.800 €	179
KS600FW6	11.155 €	176	S600FW6	10.305 €	174	BKS600FW6	8.910 €	178	BS600FW6	8.800 €	179
KS450FW3	10.790 €	192	S450FW3	9.945 €	190						
KS450FW6	10.790 €	192	S450FW6	9.945€	190						
KS900FZ3	11.155 €	76	S900FZ3	10.790 €	74						
KS900FZ6	11.155 €	76	S900FZ6	10.790 €	74						
KS900FZ3I	12.090 €	76	S900FZ3I	11.725€	74						
KS900FZ6I	12.090 €	76	S900FZ6I	11.725€	74						
KS750FZ3	9.820 €	131	S750FZ3	9.460 €	130						
KS750FZ6	9.820 €	131	S750FZ6	9.460 €	130						
KS750FZ3I	10.755 €	131	S750FZ3I	10.390€	130						
KS750FZ6I	10.755 €	131	S750FZ6I	10.390 €	130						
KS600FZ3	9.640 €	184	S600FZ3	9.215€	182						
KS600FZ6	9.640 €	184	S600FZ6	9.215€	182						
KS600FZ3I	10.575 €	184	S600FZ3I	10.150 €	182						
KS600FZ6I	10.575 €	184	S600FZ6I	10.150 €	182						
KS450FZ3	9.580 €	198	S450FZ3	9.095 €	196						
KS450FZ6	9.580 €	198	S450FZ6	9.095 €	196						
KS450FZ3I	10.515 €	198	S450FZ3I	10.030 €	196						
KS450FZ6I	10.515 €	198	S450FZ6I	10.030 €	196						

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS

Width: 90cm (899)





FRIDGE

FRESCO®

TRIMODE®

FULL SIZE: FRIDGE AND FREEZER

Model: 1T

Width: 90cm (899)

One door, one drawer, 3 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Fresco

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

- Made in Italy.
- Galvanized steel body.
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Three independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Fresco drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Double Evenlift Shelves	3+3
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL BUILT-IN

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS901TST6 (right hinge)	15.885 €
XS901TST3 (left hinge)	15.885 €
XS901TST6I (right hinge, with ice maker)	16.820 €
XS901TST3I (left hinge, with ice maker)	16.820 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	315
	l .

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	217
Gross Weight (kg)	238
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

AS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL FREESTANDING

COUNTRY® SERIES





AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
AS901TST6I (right hinge, ice maker included)	16.735 €
AS901TST3I (left hinge, ice maker included)	16.735 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	887
Depth of Product without handle (mm)	635
Net Weight (kg)	217
Gross Weight (kg)	238
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	3+3
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
1005000050	

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop





RS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS901TST6 (right hinge)	14.435 €
RS901TST3 (left hinge)	14.435 €
RS901TST6I (right hinge, with ice maker)	15.375 €
RS901TST3I (left hinge, with ice maker)	15.375 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	209
Gross Weight (kg)	230
Temperature ranges	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Zona Low Temp	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL BUILT-IN

CLASSIC® SERIES





AESTHETIC				
Compressor position	Bottom			
Front finish	Stainless steel			
Handles	Stainless steel 030 mm			
Interior material finish	Stainless steel			
PRICE (VAT and delivery charges no	t included)			
KS901TST6 (right hinge)	14.430 €			
KS901TST3 (left hinge)	14.430 €			
KS901TST6I (right hinge, with ice maker)	15.365 €			
KS901TST3I (left hinge, with ice maker)	15.365 €			
CAPACITY				
Volume Compartment 1 (L)	268			
Volume Compartment 2 (L)	128			
Volume Compartment 3 (L)	131			
Total Net Volume (L)	527			
Total gross volume (L)	651			
Compartment 1 / Upper wine cellar capacity (bottles)	1			
Compartment 2 / Middle wine cellar capacity (bottles)	1			
Compartment 3 / Lower wine cellar capacity (bottles)	1			
TECHNICAL DETAILS				
Voltage (V)	220-240V			
Frequency (Hz)	50-60 Hz			
Climatic class	SN/T			
Noise level (dB)	41			
EFFICIENCY				
New Energy Label class	Е			
Energy consumption (kWh/year)	315			
	1			

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	209
Gross Weight (kg)	230
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	Glass
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL FULLY INTEGRATED

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S901TST6 (right hinge)	13.520 €
S901TST3 (left hinge)	13.520 €
S901TST6l (right hinge, with ice maker)	14.445 €
S901TST3I (left hinge, with ice maker)	14.445 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	ı
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	315
	l

DIMENSIONS & WEIGHT	
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	Glass
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handlesØ 30mm
- Stainless steel tubular handles
 Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

• Front ventilation kit

Fhaba

• 90° Door stop









FULL SIZE: WINE CELLAR

Model: 1T

Width: 90cm (899)

One door, one drawer, 3 separate Temperature ranges

Upper compartment: Wine cellar

Middle compartment: Wine cellar Lower compartment: Wine cellar

FEATURES

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent. illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Three independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO NO
Shopping Freezer	NO NO
Power Failure Function	YES

FIRMS

XS901TWT


90 cm, WINE CELLAR, 1T MODEL **BUILT-IN**

X-PRO® SERIES









D n	
6 m	

AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS901TWT6	16.735 €
(right hinge)	10.700 0
XS901TWT3	16.735 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar	
capacity (bottles)	72
Compartment 2 / Middle wine cellar	
capacity (bottles)	36
Compartment 2 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)

G

194

AS901TWT

90 cm, WINE CELLAR, 1T MODEL **FREESTANDING**

COUNTRY® SERIES




EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)







	111111	
Bordeaux Bottle		0000000000
0,75 lt		
	300 mm	0000000000
		0000000000
		0000000000
		00000000000
	Ø 75 mm	
		00000000000
	Ø 29 mm	0000000000
Burgundy		
Bottle		
0,75 lt		
	296 mm	
	mm I	
	Ø 76	
	mm	

Compressor position Top Front and sides finish Painted Stainless steel Handles Stainless steel 030 mm Interior material finish Stainless steel PRICE (VAT and delivery charges not included) AS901TWT6 (right hinge) 17.585 € AS901TWT3 (left hinge) 17.585 € CAPACITY Volume Compartment 1 (L) 247 Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Net Volume (L) 506 Total gross volume (L) 525 Compartment 1 / Upper wine cellar capacity (bottles) 72 Compartment 2 / Middle wine cellar capacity (bottles) 36 Compartment 2 / Lower wine cellar capacity (bottles) 1 TECHNICAL DETAILS Voltage (V) Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41	AESTHETIC	
Handles Interior material finish Stainless steel 030 mm Interior material finish Stainless steel PRICE (VAT and delivery charges not included) AS901TWT6 (right hinge) AS901TWT3 (left hinge) 17.585 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Net Volume (L) 506 Total gross volume (L) 525 Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Compressor position	Тор
Interior material finish PRICE (VAT and delivery charges not included) AS901TWT6 (right hinge) AS901TWT3 (left hinge) 17.585 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) 131 Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Front and sides finish	Painted Stainless steel
PRICE (VAT and delivery charges not included) AS901TWT6 (right hinge) AS901TWT3 (left hinge) 17.585 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) 131 Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Handles	Stainless steel 030 mm
AS901TWT6 (right hinge) AS901TWT3 (left hinge) 17.585 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) 131 Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) / TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 17.585 € 18.7566 € 18.	Interior material finish	Stainless steel
(right hinge) 17.585 € AS901TWT3 (left hinge) 17.585 € CAPACITY Volume Compartment 1 (L) 247 Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Net Volume (L) 506 Total gross volume (L) 525 Compartment 1 / Upper wine cellar capacity (bottles) 72 Compartment 2 / Middle wine cellar capacity (bottles) 36 Compartment 2 / Lower wine cellar capacity (bottles) / TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T	PRICE (VAT and delivery charges no	t included)
(left hinge) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 1247 247 248 36 36 72 72 72 72 73 74 75 76 77 78 78 78 78 78 78 78 78	7.676111116	17.585 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T		17.585 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T		
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T		
Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) // Cempartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	CAPACITY	
Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) // TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 131 72 72 73 74 75 75 76 77 78 78 79 70 70 70 70 70 70 70 70 70	Volume Compartment 1 (L)	247
Total Net Volume (L) 506 Total gross volume (L) 525 Compartment 1 / Upper wine cellar capacity (bottles) 72 Compartment 2 / Middle wine cellar capacity (bottles) 36 Compartment 2 / Lower wine cellar capacity (bottles) / TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T	Volume Compartment 2 (L)	128
Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) // TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 525 72 72 36 26 27 27 28 29 36 20 20 20 20 20 20 20 20 20 2	Volume Compartment 3 (L)	131
Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) // TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 72 72 72 73 76 77 78 78 78 78 79 70 70 70 70 70 70 70 70 70	Total Net Volume (L)	506
capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 72 36 220-240V 50-60 Hz	Total gross volume (L)	525
capacity (bottles) Compartment 2 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 36 / 220-240V Solution S		72
Capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class	•	36
Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T	•	1
Frequency (Hz) 50-60 Hz Climatic class SN/T	TECHNICAL DETAILS	
Climatic class SN/T	Voltage (V)	220-240V
	Frequency (Hz)	50-60 Hz
Noise level (dB) 41	Climatic class	SN/T
	Noise level (dB)	41

G

194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	887
Depth of Product without handle (mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer

- Beverage shelf
- Beverage removable shelf




RS901TWT


90 cm, WINE CELLAR, 1T MODEL BUILT-IN

DESIGNER® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS901TWT6	15.890 €
(right hinge)	10.070 C
RS901TWT3 (left hinge)	15.890 €
(tert fillige)	
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar	
capacity (bottles)	72
Compartment 2 / Middle wine cellar	
capacity (bottles)	36
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	205
Gross Weight (kg)	226
Temperature ranges	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Zona Low Temp	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

KS901TWT

90 cm, WINE CELLAR, 1T MODEL BUILT-IN

CLASSIC® SERIES



Climatic class

Noise level (dB)


EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
KS901TWT6 (right hinge)	15.885 €
KS901TWT3 (left hinge)	15.885 €
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz

SN/T

41

G

194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

S901TWT


90 cm, WINE CELLAR, 1T MODEL **FULLY INTEGRATED**


INTEGRATED® SERIES











AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S901TWT6	15.035 €
(right hinge)	10.000 6
S901TWT3	15.035 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar	72
capacity (bottles)	
Compartment 2 / Middle wine cellar	2/
capacity (bottles)	36
Compartment 2 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- · Beverage shelf
- Beverage removable shelf











FULL SIZE: FRIDGE AND FREEZER

Model: 0T

Width: 90cm (899)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer

Fhaba

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
lce maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS900TST6 (right hinge)	13.520 €
XS900TST3 (left hinge)	13.520 €
XS900TST6I (right hinge, with ice maker)	14.445€
XS900TST3I (left hinge, with ice maker)	14.445 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

XS900TGT

90 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN, GLASS DOOR

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900TGT6 (right hinge)	14.610 €
XS900TGT3 (left hinge)	14.610 €
XS900TGT6l (right hinge, with ice maker)	15.545 €
XS900TGT3I (left hinge, with ice maker)	15.545 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



AS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **FREESTANDING**

COUNTRY® SERIES





10	
AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
AS900TST6I (right hinge, ice maker included)	14.310 €
AS900TST3I (left hinge, ice maker included)	14.310 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	887
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop

RS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900TST6 (right hinge)	12.010 €
RS900TST3 (left hinge)	12.010 €
RS900TST6l (right hinge, with ice maker)	12.950 €
RS900TST3I (left hinge, with ice maker)	12.950 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
CENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

RS900TGT

90 cm, FRIGORIFERO E FREEZER, MODEL 0T BUILT-IN, GLASS DOOR

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900TGT6 (right hinge)	13.100 €
RS900TGT3 (left hinge)	13.100 €
RS900TGT6I (right hinge, with ice maker)	14.035 €
RKS900TGT3I (left hinge, with ice maker)	14.035 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273
	1

DIMENSIONS & WEIGHT	
	2120
Height of the product (closed wheels) (mm)	
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLSS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	ot included)
KS900TST6 (right hinge)	12.005 €
KS900TST3 (left hinge)	12.005 €
KS900TST6l (right hinge, with ice maker)	12.940 €
KS900TST3I (left hinge, with ice maker)	12.940 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
CENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS900TGT

90 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN, GLASS DOOR

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900TGT6 (right hinge)	13.095 €
KS900TGT3 (left hinge)	13.095 €
KS900TGT6I (right hinge, with ice maker)	14.030 €
KS900TGT3I (left hinge, with ice maker)	14.030 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AFCTUETIC	
AESTHETIC	Bottom
Compressor position Front finish	
Handles	Custom panel ready NO
Interior material finish	Stainless steel
interior material imish	Staniless steet
PRICE (VAT and delivery charges	not included)
S900TST6 (right hinge)	11.400 €
S900TST3 (left hinge)	11.400 €
S900TST6l (right hinge, with ice maker)	12.335 €
S900TST3I (left hinge, with ice maker)	12.335 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE DANCES	
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

S900TGT

90 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900TGT6 (right hinge)	12.490 €
S900TGT3 (left hinge)	12.490 €
S900TGT6I (right hinge, with ice maker)	13.425 €
S900TGT3I (left hinge, with ice maker)	13.425 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

BKS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges	not included)
BKS900TST6 (right hinge)	8.910 €
BKS900TST3 (left hinge)	8.910 €
BKS900TST6I (right hinge, with ice maker)	9.730 €
BKS900TST3I (left hinge, with ice maker)	9.730 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	199
Gross Weight (kg)	220
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	41 fixed, 3 adjustable
Evenlift Shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

BS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges no	t included)
BS900TST6	8.270 €
(right hinge)	0.270 0
BS900TST3	8.270 €
(left hinge)	
BS900TST6I (right hinge, with ice maker)	9.090 €
BS900TST3I	
(left hinge, with ice maker)	9.090 €
CAPACITY	405
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	101
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar	1
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	,
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
	Г
New Energy Label class	E

273

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	2050	
Width of the product (mm)	899	
Depth of Product without handle (mm)	610	
Net Weight (kg)	178	
Gross Weight (kg)	199	
TEMPERATURE RANGES		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8	
Compartment 2 / Middle Temperature ranges (°C)	1	
Low temp zone	YES	
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22	
Dual zone	NO	
GENERAL PROPERTIES		
Reversible door	NO	
Low vibration	YES	
Shelves	4 1 fixed, 3 adjustable	
Evenlift Shelves	NO	
Type of shelves	GLASS	
Door Bins	3	
Fridge drawers type	LOW TEMP	
Fresco/LowTemp Drawers	2	
Freezer drawers	1+1 internal drawer	

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop









FULL SIZE: FRIDGE AND FREEZER

Model: 0H

Width: 90cm (899)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer

Fhaba

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent. illumination to the entire interior
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
lce maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS900HST

90 cm, FRIDGE AND FREEZER, 0H MODEL BUILT-IN

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900HST6 (right hinge)	14.310 €
XS900HST3 (left hinge)	14.310 €
XS900HST6I (right hinge, with ice maker)	15.245 €
XS900HST3I (left hinge, with ice maker)	15.245 €
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319

2120
899
635
212
233
2
from 2 to 8
1
YES
from 8 to -22
YES
NO
YES
4 - 1 fixed 3 adjustable
GLASS
3
LOW TEMP
1
2

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS900HST

90 cm, FRIDGE AND FREEZER, 0H MODEL BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900HST6 (right hinge)	13.225 €
RS900HST3 (left hinge)	13.225 €
RS900HST6I (right hinge, with ice maker)	14.165 €
RS900HST3I (left hinge, with ice maker)	14.165 €
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	2120	
Width of the product (mm)	912	
Depth of Product without handle (mm)	620	
Net Weight (kg)	193	
Gross Weight (kg)	215	
Temperature ranges		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22	
Compartment 2 / Middle Temperature ranges (°C)	1	
Zona Low Temp	YES	
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22	
Dual zone	YES	
GENERAL PROPERTIES		
Reversible door	NO	
Low vibration	YES	
Shelves	4 - 1 fixed 3 adjustable	
Type of shelves	GLASS	
Door Bins	3	
Fridge drawers type	LOW TEMP	
Fresco/LowTemp Drawers	1	
Bottom drawers	2	

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS900HST

90 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900HST6 (right hinge)	13.220 €
KS900HST3 (left hinge)	13.220 €
KS900HST6I (right hinge, with ice maker)	14.150 €
KS900HST3I (left hinge, with ice maker)	14.150 €
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S900HST

90 cm, FRIDGE AND FREEZER, 0H MODEL FULLY INTEGRATED

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900HST6 (right hinge)	12.065 €
S900HST3 (left hinge)	12.065 €
S900HST6l (right hinge, with ice maker)	13.000 €
S900HST3I (left hinge, with ice maker)	13.000 €
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	184
Gross Weight (kg)	205
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



FULL SIZE: WINE CELLAR

Model: 0H

Width: 90cm (899)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO NO
Shopping Fridge	NO NO
Shopping Freezer	NO
Power Failure Function	YES

XS900HWT


90 cm, WINE CELLAR, 0H MODEL BUILT-IN


X-PRO® SERIES











AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900HWT6 (right hinge)	13.945 €
XS900HWT3 (left hinge)	13.945 €
CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	197

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	212
Gross Weight (kg)	233
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf




RS900HWT

90 cm, WINE CELLAR, 0H MODEL **BUILT-IN**

DESIGNER® SERIES







rdeaux ttle 5 It	Ø 75	300 mm	
rgundy ttle '5 lt	Ø 29 mm Ø 76 mm	296 mm	

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900HWT6	12.735 €
(right hinge)	12.733 €
RS900HWT3	12.735 €
(left hinge)	
CADACITY	
CAPACITY Volume Compositment 1(1)	257
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1/7
Volume Compartment 3 (L)	167 524
Total Net Volume (L)	
Total gross volume (L)	542
Compartment 1 / Upper wine cellar	108
capacity (bottles)	
Compartment 2 / Middle wine cellar	1
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

197

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	193
Gross Weight (kg)	215
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

KS900HWT


90 cm, WINE CELLAR, 0H MODEL BUILT-IN


CLASSIC® SERIES











Handles Interior material finish PRICE (VAT and delivery charges no KS900HWT6	Bottom Stainless steel Stainless steel 030 mm
Front finish Handles Interior material finish PRICE (VAT and delivery charges no KS900HWT6	
Interior material finish PRICE (VAT and delivery charges no KS900HWT6	Stainless steel 030 mm
PRICE (VAT and delivery charges no KS900HWT6	3.4
KS900HWT6	Stainless steel
	t included)
	12.735 €
(right hinge)	1.2.7 00 0
KS900HWT3 (left hinge)	12.735 €
(tert fillige)	
CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
Compartment 1 / Upper wine cellar	400
capacity (bottles)	108
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- . . .
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

G

197

New Energy Label class

Energy consumption (kWh/year)

S900HWT


90 cm, WINE CELLAR, 0H MODEL **FULLY INTEGRATED**


INTEGRATED® SERIES



Energy consumption (kWh/year)







AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S900HWT6	12.005 €
(right hinge)	12.000 0
S900HWT3	12.005 €
(left hinge)	
CAPACITY	057
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
Compartment 1 / Upper wine cellar	108
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

197

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	181
Gross Weight (kg)	202
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit

- Cleaning kit
- Active carbon filter

- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



FULL SIZE: FRIDGE

Model: 0F

Width: 90cm (899)

One door, 1 Temperature ranges

Upper compartment: Fridge Lower compartment: Low Temp



FEATURES

- Made in Italy.
- · Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
lce maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS900FR

90 cm, FRIDGE, 0FR MODEL BUILT-IN

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900FR6 (right hinge)	12.735 €
XS900FR3 (left hinge)	12.735 €
XS900FR6D (right hinge, water dispenser)	13.665 €
XS900FR3D (left hinge, water dispenser)	13.665 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

XS900FG

90 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900FG6 (right hinge)	13.825 €
XS900FG3 (left hinge)	13.825 €
XS900FG6D (right hinge, water dispenser)	14.760 €
XS900FG3D (left hinge, water dispenser)	14.760 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





RS900FR

90 cm, FRIDGE, 0FR MODEL BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900FR6 (right hinge)	10.560 €
RS900FR3 (left hinge)	10.560 €
RS900FR6D (cerniera destra, water dispenser)	11.485 €
RS900FR3D (cerniera sinistra, water dispenser)	11.485 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	189
Gross Weight (kg)	210
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



RS900FG

90 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900FG6 (right hinge)	11.645 €
RS900FG3 (left hinge)	11.645 €
RS900FG6D (cerniera destra, water dispenser)	12.585 €
RS900FG3D (cerniera sinistra, water dispenser)	12.585 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	189
Gross Weight (kg)	210
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS900FR

90 cm, FRIDGE, 0FR MODEL **BUILT-IN**

CLASSIC® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
landles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900FR6 (right hinge)	10.550 €
KS900FR3 (left hinge)	10.550 €
KS900FR6D (right hinge, water dispenser)	11.485 €
KS900FR3D (left hinge, water dispenser)	11.485 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

2050
899
635
189
210
1
from 2 to 8
1
YES
1
NO
NO
YES
4 - 1 fixed 3 adjustable
GLASS
3
LOW TEMP
3
1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS900FG

90 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	not included)
KS900FG6 (right hinge)	11.640 €
KS900FG3 (left hinge)	11.640 €
KS900FG6D (right hinge, water dispenser)	12.575 €
KS900FG3D (left hinge, water dispenser)	12.575 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S900FR

90 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





NESTHETIC	
ompressor position	Bottom
ront finish	Custom panel ready
Handles	NO
nterior material finish	Stainless steel
RICE (VAT and delivery charges	not included)
S900FR6 right hinge)	9.640 €
S900FR3 Left hinge)	9.640 €
900FR6D right hinge, water dispenser)	10.575 €
900FR3D Left hinge, water dispenser)	10.575 €
CAPACITY	
olume Compartment 1 (L)	619
olume Compartment 2 (L)	1
olume Compartment 3 (L)	1
otal Net Volume (L)	619
otal gross volume (L)	629
Compartment 1 / Upper wine cellar apacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
ompartment 3 / Lower wine cellar apacity (bottles)	1
FECHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
oise level (dB)	41
FFICIENCY	
ew Energy Label class	E
nergy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	168
Gross Weight (kg)	189
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

S900FG

90 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900FG6 right hinge)	10.730 €
S900FG3 (left hinge)	10.730 €
S900FG6D right hinge, water dispenser)	11.665 €
S900FG3D (left hinge, water dispenser)	11.665 €
CAPACITY	
Volume Compartment 1 (L)	619
/olume Compartment 2 (L)	1
/olume Compartment 3 (L)	1
otal Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
loise level (dB)	41
EFFICIENCY	
lew Energy Label class	E
nergy consumption (kWh/year)	149
<u> </u>	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	168
Gross Weight (kg)	189
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop









FULL SIZE: WINE CELLAR

Model: 0F

Width: 90cm (899)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Painted aluminum interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS900FW


90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


X-PRO® SERIES











AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900FW6 (right hinge)	13.520 €
XS900FW3 (left hinge)	13.520 €
CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	590
Total gross volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	192
Gross Weight (kg)	223
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Stainless steel tubular handles Ø 30mm
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

RS900FW


90 cm, WINE CELLAR, 0FW MODEL BUILT-IN

DESIGNER® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS900FW6	12.070 €
(right hinge)	12.070 t
RS900FW3	12.070 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	590
Total gross volume (L)	607
Compartment 1 / Upper wine cellar	96
capacity (bottles)	70
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	60
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	194
Gross Weight (kg)	215
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

KS900FW

90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


CLASSIC® SERIES











AESTHETIC		DIMENSIONS & WEIGHT	
Compressor position	Bottom	Height of the product (closed wheels) (mm)	2050
Front finish	Stainless steel	Width of the product (mm)	899
Handles	Stainless steel 030 mm	Depth of Product without handle (mm)	635
Interior material finish	Stainless steel	Net Weight (kg)	194
PRICE (VAT and delivery charges not included)		Gross Weight (kg)	215
KS900FW6	12.065 €	TEMPERATURE RANGES	
(right hinge)	12.000 €	_ Climatic compartments	2
KS900FW3	12.065 €	Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
(left hinge)	12.000	Compartment 2 / Middle Temperature ranges (°C)	1
		Low temp zone	NO
		Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
CAPACITY		Dual zone	NO
Volume Compartment 1 (L)	590	GENERAL PROPERTIES	
Volume Compartment 2 (L)	1	Reversible door	NO
Volume Compartment 3 (L)	1	Low vibration	YES
Total Net Volume (L)	590	- Shelves	13
Total gross volume (L)	607	- Type of shelves	WOOD
Compartment 1 / Upper wine cellar		Door Bins	/
capacity (bottles)	96	Fridge drawers type	1
		Fresco/LowTemp Drawers	1
Compartment 2 / Middle wine cellar	1	Freezer drawers	1
capacity (bottles)		_	1
Compartment 3 / Lower wine cellar	40	ACCESSORIES	

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

Energy consumption (kWh/year) 169

Cheese drawer

capacity (bottles)

Voltage (V)

Frequency (Hz)

Climatic class

Noise level (dB)

EFFICIENCY

New Energy Label class

TECHNICAL DETAILS

60

220-240V

50-60 Hz

SN/T

41

G

S900FW


90 cm, WINE CELLAR, 0FW MODEL FULLY INTEGRATED


INTEGRATED® SERIES



Energy consumption (kWh/year)







AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
S900FW6	11.155 €
(right hinge)	11.100 0
S900FW3	11.155 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	590
Total gross volume (L)	607
Compartment 1 / Upper wine cellar	
capacity (bottles)	96
capacity (buttles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	173
Gross Weight (kg)	194
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles
 Ø 30mm
- Stainless steel tubular handles
 Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



FULL SIZE: FREEZER

Model: 0F

Width: 90cm (899)

One door, 1 Temperature ranges

Single compartment: Freezer

FEATURES

- Made in Italy.
- · Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Ladder rack shelving: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in compartment.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 fixed and 2 adjustable
Slide-out shelves	NO NO
Type of shelves	2 Glass & 1 Stainless steel
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO NO
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	NO NO
Shopping Freezer	YES
Power Failure Function	YES

XS900FZ

90 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS900FZ6 (right hinge)	12.005 €
XS900FZ3 (left hinge)	12.005€
XS900FZ6I (right hinge, with ice maker)	12.940 €
XS900FZ3I (left hinge, with ice maker)	12.940 €
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	l
New Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



RS900FZ

90 cm, FREEZER, MODEL 0FZ BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900FZ6 (right hinge)	11.165 €
RS900FZ3 (left hinge)	11.165 €
RS900FZ6l (right hinge, with ice maker)	12.090 €
RS900FZ3I (left hinge, with ice maker)	12.090 €
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	195
Gross Weight (kg)	216
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS900FZ

90 cm, FREEZER, 0FZ MODEL BUILT-IN

CLASSIC® SERIES





	-
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
landles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900FZ6 (right hinge)	11.155 €
KS900FZ3 (left hinge)	11.155 €
KS900FZ6I (right hinge, with ice maker)	12.090 €
KS900FZ3I (left hinge, with ice maker)	12.090 €
CAPACITY	
Volume Compartment 1 (L)	570
olume Compartment 2 (L)	1
/olume Compartment 3 (L)	1
otal Net Volume (L)	570
otal gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
loise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	640
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S900FZ

90 cm, FREEZER, 0FZ MODEL FULLY INTEGRATED

INTEGRATED® SERIES






AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900FZ6 (right hinge)	10.790 €
S900FZ3 (left hinge)	10.790 €
S900FZ6I (right hinge, with ice maker)	11.725 €
S900FZ3I (left hinge, with ice maker)	11.725 €
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	615
Net Weight (kg)	182
Gross Weight (kg)	202
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS

Width: 75cm (749)





FULL SIZE: FRIDGE AND FREEZER

Model: 0T

Width: 75cm (749)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS750TST6 (right hinge)	13.220 €
XS750TST3 (left hinge)	13.220 €
XS750TST6I (right hinge, with ice maker)	14.150 €
XS750TST3I (left hinge, with ice maker)	14.150 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

2120
749
635
191
212
2
from 2 to 8
1
YES
from 8 to -22
YES
NO
YES
4 1 fixed + 3 adjustable
GLASS
3
LOW TEMP
2
1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

XS750TGT

75 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN, GLASS DOOR

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS750TGT6 (right hinge)	14.310 €
XS750TGT3 (left hinge)	14.310 €
XS750TGT6I (right hinge, with ice maker)	15.245 €
XS750TGT3I (left hinge, with ice maker)	15.245 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259
-	<u> </u>

DIMENSIONS & WEIGHT	
	0100
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
·	

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



AS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL FREESTANDING

COUNTRY® SERIES





AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
AS750TST6I (right hinge, with ice maker)	14.065 €
AS750TST3I (left hinge, with ice maker)	14.065 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	737
Depth of Product without handle (mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
	NO
Reversible door	NO NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop





RS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
RS750TST6 (right hinge)	11.885 €
RS750TST3 (left hinge)	11.885 €
RS750TST61 (right hinge, with ice maker)	12.825 €
RS750TST3I (left hinge, with ice maker)	12.825 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	184
Gross Weight (kg)	205
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



RS750TGT

75 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN, GLASS DOOR

DESIGNER® SERIES





	All and the second
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750TGT6 (right hinge)	12.985 €
RS750TGT3 (left hinge)	12.985 €
RS750TGT6I (right hinge, with ice maker)	13.910 €
RS750TGT3I (left hinge, with ice maker)	13.910 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259
33 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	187
Gross Weight (kg)	208
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS750TST6 (right hinge)	11.885 €
KS750TST3 (left hinge)	11.885 €
KS750TST6I (right hinge, with ice maker)	12.820 €
KS750TST3I (left hinge, with ice maker)	12.820 €
CAPACITY	
Volume Compartment 1 (L)	335
/olume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
otal Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
loise level (dB)	41
EFFICIENCY	
New Energy Label class	E
nergy consumption (kWh/year)	259
<u> </u>	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	184
Gross Weight (kg)	205
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS750TGT

75 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN, GLASS DOOR

CLASSIC® SERIES





AESTHETIC Compressor position	Bottom
ront finish	Stainless steel
landles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	
(S750TGT6 right hinge)	12.975 €
(S750TGT3 Left hinge)	12.975 €
(S750TGT61 right hinge, with ice maker)	13.910 €
KS750TGT31 left hinge, with ice maker)	13.910 €
CAPACITY	
olume Compartment 1 (L)	335
olume Compartment 2 (L)	1
olume Compartment 3 (L)	105
otal Net Volume (L)	440
otal gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
FECHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
oise level (dB)	41
FFICIENCY	
lew Energy Label class	E
nergy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO NO
OFNERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S750TST6 (right hinge)	11.280 €
S750TST3 (left hinge)	11.280 €
S750TST6I (right hinge, with ice maker)	12.210 €
S750TST3I (left hinge, with ice maker)	12.210 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

Height of the product (closed wheels) (mm) Width of the product (mm) Depth of Product without handle (mm) Net Weight (kg) Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) From 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door Low vibration YES Shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers 2050 190 For May 190 For May 2 to 8 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2160 610 610 610 610 610 610 61		
Width of the product (mm) Depth of Product without handle (mm) Net Weight (kg) Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) Dual zone GENERAL PROPERTIES Reversible door Low vibration YES Shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers 749 749 749 749 749 749 749 74	DIMENSIONS & WEIGHT	
Depth of Product without handle (mm) Net Weight (kg) Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) Dual zone GENERAL PROPERTIES Reversible door Low vibration YES Shelves 4 1 fixed + 3 adjustable Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers 2 169 170 170 170 170 170 170 170 17	Height of the product (closed wheels) (mm)	2050
Net Weight (kg) Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Compartment 2 / Middle Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) Dual zone NO GENERAL PROPERTIES Reversible door Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers 2 169 190 190 190 Trom 2 to 8 From 2 to 8 From 8 to -22 From 8 to -22 Blance From 8 to -22 Low Temperature ranges (°C) From 8 to -22 Low Temperature ranges (°C) From 8 to -22 Low Temperature ranges (°C) Low Temperature ranges (°C) From 8 to -22 Low Temperature ranges (°C) Low Temperature ranges (°C) From 2 to 8 Low Temperature ranges (°C) From 2 to 8 Low Temperature ranges (°C) From 2 to 8 Low Temperature ranges (°C) Low Temperature ranges (°C	Width of the product (mm)	749
Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Compartment 2 / Middle Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) From 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers 2	Depth of Product without handle (mm)	610
TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Compartment 2 / Middle Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) Dual zone NO GENERAL PROPERTIES Reversible door Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers 2	Net Weight (kg)	169
Climatic compartments 2 Compartment 1 / Upper Temperature ranges (°C) from 2 to 8 Compartment 2 / Middle Temperature ranges (°C) / Low temp zone YES Compartment 3 / Low Temperature ranges (°C) from 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Gross Weight (kg)	190
Compartment 1 / Upper Temperature ranges (°C) from 2 to 8 Compartment 2 / Middle Temperature ranges (°C) / Low temp zone YES Compartment 3 / Low Temperature ranges (°C) from 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	TEMPERATURE RANGES	
Compartment 2 / Middle Temperature ranges (°C) Low temp zone Compartment 3 / Low Temperature ranges (°C) From 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Climatic compartments	2
Low temp zone YES Compartment 3 / Low Temperature ranges (°C) from 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 3 / Low Temperature ranges (°C) from 8 to -22 Dual zone NO GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Compartment 2 / Middle Temperature ranges (°C)	1
Dual zone NO GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Low temp zone	YES
GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Reversible door NO Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Dual zone	NO
Low vibration YES Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	GENERAL PROPERTIES	
Shelves 41 fixed + 3 adjustable Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Reversible door	NO
Type of shelves Glass Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Low vibration	YES
Door Bins 3 Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Shelves	4 1 fixed + 3 adjustable
Fridge drawers type LOW TEMP Fresco/LowTemp Drawers 2	Type of shelves	Glass
Fresco/LowTemp Drawers 2	Door Bins	3
	Fridge drawers type	LOW TEMP
France drawers 1.1 internal drawers	Fresco/LowTemp Drawers	2
rreezer urawers 1+1 internat drawer	Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

S750TGT

75 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





AESTHETIC Compressor position	Bottom
Front finish	
Handles	Custom panel ready NO
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750TGT6 (right hinge)	12.370 €
S750TGT3	
(left hinge)	12.370 €
S750TGT6I	12 205 6
(right hinge, with ice maker)	13.305 €
S750TGT3I	13.305 €
left hinge, with ice maker)	
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



BKS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges r	not included)
BKS750TST6 (right hinge)	8.430 €
BKS750TST3 (left hinge)	8.430 €
BKS750TST6I (right hinge, with ice maker)	9.250 €
BKS750TST3I (left hinge, with ice maker)	9.250 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	179
Gross Weight (kg)	200
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
EvenLift shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

BS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges	not included)
BS750TST6 (right hinge)	8.060€
BS750TST3 (left hinge)	8.060€
BS750TST6I (right hinge, with ice maker)	8.880 €
BS750TST3I (left hinge, with ice maker)	8.880 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
EvenLift shelves	NO NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



FULL SIZE: WINE CELLAR

Model: 0T

Width: 75cm (749)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	NO
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES


XS750TWT

75 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**









Fhaba

AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS750TWT6	13.340 €
(right hinge)	10.0 10 0
XS750TWT3	13.340 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
	407
Compartment 1 / Upper wine cellar	81
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
- (1.140.4)	404

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

184

Energy consumption (kWh/year)




RS750TWT

75 cm, WINE CELLAR AND FREEZER, 0T MODEL BUILT-IN

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
RS750TWT6 (right hinge)	12.250 €
RS750TWT3 (left hinge)	12.250 €
CAPACITY	
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	184
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	182
Gross Weight (kg)	203
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- \bullet 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

KS750TWT


75 cm, WINE CELLAR AND FREEZER, 0T MODEL BUILT-IN

CLASSIC® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS750TWT6	12.250.6
(right hinge)	12.250 €
KS750TWT3	12.250 €
(left hinge)	
OARAOITY	
CAPACITY Values Comportment 1(1)	200
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	105
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
Compartment 1 / Upper wine cellar	81
capacity (bottles)	01
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	184

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	182
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YFS
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YFS
Dual Zulle	159
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

S750TWT


75 cm, WINE CELLAR AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)		
S750TWT6 (right hinge)	11.765 €	
S750TWT3 (left hinge)	11.765 €	
CAPACITY		
Volume Compartment 1 (L)	320	

CAPACITY	
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1

TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	184	

	Ø 76 mm
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	168
Gross Weight (kg)	190
TEMPERATURE RANGES	
	2
Climatic compartments	
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
CENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD

ACCESSORIES

Freezer drawers

Fridge drawers type Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit

Door Bins

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

• Front ventilation kit

1+1 internal drawer

- 90° Door stop
- Wine kit

1 1

1

- Cheese drawer
- · Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf









FULL SIZE: FRIDGE AND FREEZER

Model: 0H

Width: 75cm (749)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer

Filaba

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	41 fixed + 3 adjustable
Slide-out shelves	NO NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	Ton
Compressor position	Top Ctainless steel
Front finish	Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges r	ot included)
KS750HST6 right hinge)	13.340 €
KS750HST3 (left hinge)	13.340 €
KS750HST6I (right hinge, with ice maker)	14.275 €
XS750HST3I (left hinge, with ice maker)	14.275 €
CAPACITY	
/olume Compartment 1 (L)	300
/olume Compartment 2 (L)	1
/olume Compartment 3 (L)	134
otal Net Volume (L)	434
otal gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
ΓΕCHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
loise level (dB)	41
EFFICIENCY	
lew Energy Label class	E

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL BUILT-IN

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750HST6 (right hinge)	12.250 €
RS750HST3 (left hinge)	12.250 €
RS750HST6I (right hinge, with ice maker)	13.190 €
RS750HST3I (left hinge, with ice maker)	13.190 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351
1 1 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	

DIMENSIONS & WEIGHT	
	2120
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	181
Gross Weight (kg)	203
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL BUILT-IN

CLASSIC® SERIES





AFCTUETIO	
AESTHETIC	D. 11
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS750HST6 (right hinge)	12.250 €
KS750HST3 (left hinge)	12.250 €
KS750HST6l (right hinge, with ice maker)	13.180 €
KS750HST3I (left hinge, with ice maker)	13.180 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	181
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL FULLY INTEGRATED

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
S750HST6 (right hinge)	11.885 €
S750HST3 (left hinge)	11.885 €
S750HST6l (right hinge, with ice maker)	12.820 €
S750HST3I (left hinge, with ice maker)	12.820 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	172
Gross Weight (kg)	193
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop





FULL SIZE: WINE CELLAR

Model: 0H

Width: 75cm (749)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	YES
Air filter control	NO NO
Shopping Fridge	NO NO
Shopping Freezer	NO
Power Failure Function	YES


XS750HWT

75 cm, WINE CELLAR AND FREEZER, 0H MODEL BUILT-IN

X-PRO® SERIES







Fhala

AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS750HWT6 (right hinge)	12.975 €
XS750HWT3 (left hinge)	12.975 €
CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	183
	ı

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf




RS750HWT

75 cm, WINE CELLAR AND FREEZER, 0H MODEL BUILT-IN

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750HWT6 (right hinge)	11.770 €
RS750HWT3 (left hinge)	11.770 €
CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	407
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

183

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	187
Gross Weight (kg)	208
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- \bullet 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

KS750HWT


75 cm, WINE CELLAR AND FREEZER, 0H MODEL **BUILT-IN**

CLASSIC® SERIES









Fhala

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS750HWT6 (right hinge)	11.765 €
KS750HWT3 (left hinge)	11.765 €
CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	183

2050
749
635
187
208
2
from 4 to 18
1
YES
from 4 to 18
YES
NO
YES
9
WOOD
1
1
1
2

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

S750HWT


75 cm, WINE CELLAR AND FREEZER, 0H MODEL FULLY INTEGRATED

INTEGRATED® SERIES









FIREDA

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)		
S750HWT6 (right hinge)	11.765 €	
S750HWT3 (left hinge)	11.765 €	

CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	ı

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

183

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Lauribration	VEC

OLINEINAL I NOI EINILO	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles
 Ø 30mm
- Stainless steel tubular handles
 Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- Active carbon nitter

- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



FULL SIZE: FRIDGE

Model: 0F

Width: 75cm (749)

One door, 1 Temperature ranges

Upper compartment: Fridge Lower compartment: Low Temp



FEATURES

- Made in Italy.
- · Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS750FR

75 cm, FRIDGE, 0FR MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges i	not included)
XS750FR6 (right hinge)	12.250 €
XS750FR3 (left hinge)	12.250 €
XS750FR6D (right hinge, water dispenser)	13.180 €
XS750FR3D (left hinge, water dispenser)	13.180 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

XS750FG

75 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES





AESTHETIC	Ton
ompressor position	Top Ctainless steel
ront finish	Stainless steel
landles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
S750FG6 right hinge)	13.340 €
S750FG3 Left hinge)	13.340 €
S750FG6D right hinge, water dispenser)	14.275 €
S750FG3D Left hinge, water dispenser)	14.275 €
CAPACITY	
olume Compartment 1 (L)	479
olume Compartment 2 (L)	1
olume Compartment 3 (L)	1
otal Net Volume (L)	479
otal gross volume (L)	489
ompartment 1 / Upper wine cellar	
apacity (bottles)	1
compartment 2/ Middle wine cellar apacity (bottles)	1
compartment 3 / Lower wine cellar apacity (bottles)	1
ECHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
oise level (dB)	41
FFICIENCY	
ew Energy Label class	E
1011 Ellol gy Lubot otaco	

DIMENCIONE & MEICHT	
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





RS750FR

75 cm, FRIDGE, 0FR MODEL BUILT-IN

DESIGNER® SERIES





	•
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750FR6 (right hinge)	9.825 €
RS750FR3 (left hinge)	9.825 €
RS750FR6D (right hinge, water dispenser)	10.765 €
RS750FR3D (left hinge, water dispenser)	10.765 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	162
Gross Weight (kg)	183
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



RS750FG

75 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750FG6 (right hinge)	10.915 €
RS750FG3 (left hinge)	10.915 €
RS750FG6D (right hinge, water dispenser)	11.850 €
RS750FG3D (left hinge, water dispenser)	11.850 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	162
Gross Weight (kg)	183
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
10050000150	

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS750FR

75 cm, FRIDGE, 0FR MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS750FR6 (right hinge)	9.820 €
KS750FR3 (left hinge)	9.820 €
KS750FR6D (right hinge, water dispenser)	10.755 €
KS750FR3D (left hinge, water dispenser)	10.755 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS750FG

75 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

CLASSIC® SERIES





	480
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
KS750FG6 (right hinge)	10.915 €
KS750FG3 (left hinge)	10.915 €
KS750FG6D (right hinge, water dispenser)	11.845 €
KS750FG3D (left hinge, water dispenser)	11.845 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	<u></u>
New Energy Label class	Е
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S750FR

75 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S750FR6 (right hinge)	9.335 €
S750FR3 (left hinge)	9.335 €
S750FR6D (right hinge, water dispenser)	10.270 €
S750FR3D (left hinge, water dispenser)	10.270 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	132

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

S750FG

75 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO .
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
3750FG6 (right hinge)	10.430 €
S750FG3 (left hinge)	10.430 €
S750FG6D (right hinge, water dispenser)	11.360 €
S750FG3D (left hinge, water dispenser)	11.360 €
CAPACITY	
/olume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
/olume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2/ Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
ECHNICAL DETAILS	
oltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	154
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop







FULL SIZE: WINE CELLAR

Model: 0F

Width: 75cm (749)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	YES
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS750FW

75 cm, WINE CELLAR, 0FW MODEL BUILT-IN


X-PRO® SERIES



AESTHETIC







Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS750FW6 (right hinge)	13.220 €
XS750FW3 (left hinge)	13.220 €
CAPACITY	
Volume Compartment 1 (L)	467
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	467
Total gross volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	153
Gross Weight (kg)	174
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives

- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

Energy consumption (kWh/year)

169




RS750FW

75 cm, WINE CELLAR, 0FW MODEL BUILT-IN

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
RS750FW6 (right hinge)	11.770 €
RS750FW3 (left hinge)	11.770 €
CAPACITY	
Volume Compartment 1 (L)	467
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	467
Total gross volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169
	I

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	159
Gross Weight (kg)	180
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf


KS750FW

75 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

CLASSIC® SERIES







Filaba

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges not	: included)
KS750FW6 (right hinge)	11.765 €
KS750FW3 (left hinge)	11.765 €
CAPACITY	
Volume Compartment 1 (L)	467
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	467
Total gross volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	159
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

S750FW

75 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**


INTEGRATED® SERIES



AESTHETIC







FIREDA

AESTRETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
S750FW6	10.790 €
(right hinge)	10.770 0
S750FW3	10.790 €
(left hinge)	
-	
CAPACITY	
Volume Compartment 1 (L)	467
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	467
Total gross volume (L)	482
Compartment 1 / Upper wine cellar	70
capacity (bottles)	72
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	45
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	153
Gross Weight (kg)	174
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



FULL SIZE: FREEZER

Model: 0F

Width: 75cm (749)

One door, 1 Temperature ranges

Single compartment: Freezer

FEATURES

- Made in Italy.
- · Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Ladder rack shelving: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Freezer drawers for multi use preservation solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 Fixed & 2 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

XS750FZ

75 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS750FZ6 (right hinge)	11.155 €
XS750FZ3 (left hinge)	11.155 €
XS750FZ6I (right hinge, with ice maker)	12.090 €
XS750FZ3I (left hinge, with ice maker)	12.090 €
CAPACITY	
Volume Compartment 1 (L)	452
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	452
Total gross volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4
	·

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS750FZ

75 cm, FREEZER, MODEL 0FZ **BUILT-IN**

DESIGNER® SERIES





	4
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS750FZ6 (right hinge)	9.820 €
KS750FZ3 (left hinge)	9.820 €
KS750FZ6I (right hinge, with ice maker)	10.755 €
KS750FZ3I (left hinge, with ice maker)	10.755 €
CAPACITY	
Volume Compartment 1 (L)	452
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	452
Total gross volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	167
Gross Weight (kg)	188
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4
ACCESSORIES	
ACOLOGORILO	
Stainless steel sides panels	

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS750FZ

75 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES





ESTHETIC	D 11
Compressor position	Bottom
ront finish	Stainless steel
landles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
(S750FZ6 right hinge)	9.820€
(S750FZ3 Left hinge)	9.820€
S750FZ6I right hinge, with ice maker)	10.755 €
(S750FZ3I Left hinge, with ice maker)	10.755 €
CAPACITY	
olume Compartment 1 (L)	452
olume Compartment 2 (L)	1
olume Compartment 3 (L)	1
otal Net Volume (L)	452
otal gross volume (L)	455
ompartment 1 / Upper wine cellar apacity (bottles)	1
Compartment 2 / Middle wine cellar apacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
ECHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
loise level (dB)	41
EFFICIENCY	
lew Energy Label class	E
nergy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	glass
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

ACCESSORIES

Joining kit

• Cleaning kit

 Painting • 90° Door stop

• Stainless steel sides panels

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device • Front ventilation kit

• Stainless steel portal for freestanding

Fhaba

S750FZ

75 cm, FREEZER, 0FZ MODEL FULLY INTEGRATED

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750FZ6 (right hinge)	9.460 €
S750FZ3 (left hinge)	9.460 €
S750FZ6I (right hinge, with ice maker)	10.390 €
S750FZ3I (left hinge, with ice maker)	10.390 €
CAPACITY	
Volume Compartment 1 (L)	452
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	452
Total gross volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	318


DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	154
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	glass
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS

Width: 60cm (599)





FULL SIZE: WINE CELLAR

Model: 1T

Width: 60cm (599)



Upper compartment: Wine cellar Middle compartment: Wine cellar Lower compartment: Wine cellar

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Three independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

FARIA

XS601TWT


60 cm, WINE CELLAR AND FREEZER, 1T MODEL BUILT-IN

X-PRO® SERIES









Fhaba

AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
XS601TWT6 (right hinge)	14.550 €
XS601TWT3 (left hinge)	14.550 €
CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	182
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives

- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)

G

169


AS601TWT

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **FREESTANDING**









Fhaba

AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)	
AS601TWT6 (right hinge)	14.795 €
AS601TWT3 (left hinge)	14.795 €

CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	1

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	587
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	182
TEMPERATURE RAMOSS	

TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO

GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer

- Beverage shelf
- Beverage removable shelf
- Chocolate kit




RS601TWT

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **BUILT-IN**

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)	
RS601TWT6 (right hinge)	13.225 €
RS601TWT3 (left hinge)	13.225 €

CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	I

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
Temperature ranges	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

KS601TWT


60 cm, WINE CELLAR AND FREEZER, 1T MODEL **BUILT-IN**

CLASSIC® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)	
KS601TWT6 (right hinge)	13.220 €
KS601TWT3 (left hinge)	13.220 €

CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	I

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

Set of knives

• Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

Climatic compartments 3 Compartment 1 / Upper Temperature ranges (°C) from 4 to 18 Compartment 2 / Middle Temperature ranges (°C) from 4 to 18 Low temp zone N0 Compartment 3 / Low Temperature ranges (°C) from 4 to 18 Dual zone N0

S601TWT


60 cm, WINE CELLAR AND FREEZER, 1T MODEL FULLY INTEGRATED

INTEGRATED® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)	
S601TWT6 (right hinge)	12.065 €
S601TWT3 (left hinge)	12.065 €

147
76
77
300
315
36
18
1

TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	
Fnergy consumption (kWh/year)	169	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	

TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles
 Ø 30mm
- Stainless steel tubular handles
 Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit





FULL SIZE: FRIDGE AND FREEZER

Model: 0T

Width: 60cm (599)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer

Filaba

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
	Ton
Compressor position	Top
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS600TST6	12.975 €
(right hinge)	
XS600TST3 (left hinge)	12.975 €
(tert illinge)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	
capacity (bottles)	<i>'</i>
TECHNICAL DETAILS	
	220_27.07
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

XS600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS600TGT6 (right hinge)	14.065 €
XS600TGT3 (left hinge)	14.065 €
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	/
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	1
capacity (bottles)	
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
TECHNICAL DETAILS	220. 27.07
Voltage (V)	220-240V
Frequency (Hz) Climatic class	50-60 Hz SN/T
	41
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



AS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **FREESTANDING**

COUNTRY® SERIES





AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
AS600TST6	13.460 €
(right hinge)	161.166 6
AS600TST3 (left hinge)	13.460 €
(tert illinge)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	1
capacity (bottles)	·
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY New Energy Label alone	
New Energy Label class Energy consumption (I/Wh/year)	E 169
Energy consumption (kWh/year)	107

2120
587
635
170
190
2
from 2 to 8
1
YES
from 8 to -22
YES
NO
YES
4 - 1 fixed + 3 adjustable
GLASS
3
LOW TEMP
2
1+1 internal drawer

Fhaba

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop





RS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS600TST6 (right hinge)	11.405 €
RS600TST3 (left hinge)	11.405€
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



RS600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL BUILT-IN, GLASS DOOR

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
RS600TGT6	12.490 €
(right hinge)	12.1700
RS600TGT3 (left hinge)	12.490 €
(tert illinge)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	F
Energy consumption (kWh/year)	169
Liter By Compount (KWIII) Agail	107

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	
• Stainless steel sides panels	
Joining kit	

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS600TST6 (right hinge)	11.400 €
KS600TST3 (left hinge)	11.400 €
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from -15 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
·	
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
KS600TGT6	12.490 €
(right hinge)	12.470 0
KS600TGT3	12.490 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	
Comportment 2 / Middle wine coller	
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from -15 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





Compressor position Front finish Custom panel ready Handles Interior material finish PRICE (VAT and delivery charges not included) S600TST6 (right hinge) S600TST3 (left hinge) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Net Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class Energy consumption (kWh/year) 10.790 € 10.790 € 10.790 € 10.790 € 10.77 77 77 77 77 78 10.790 €	AESTHETIC	
Handles Interior material finish Stainless steel PRICE (VAT and delivery charges not included) \$600TST6 (right hinge) \$600TST3 (left hinge) 10.790 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) 328 Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E	Compressor position	Bottom
Interior material finish PRICE (VAT and delivery charges not included) \$600TST6 (right hinge) \$600TST3 (left hinge) 10.790 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E	Front finish	Custom panel ready
PRICE (VAT and delivery charges not included) S600TST6 (right hinge) S600TST3 (left hinge) 10.790 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Save the second of the se	Handles	NO NO
S600TST6 (right hinge) S600TST3 (left hinge) 10.790 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Save Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E	Interior material finish	Stainless steel
CAPACITY Solution	PRICE (VAT and delivery charges no	t included)
CAPACITY Volume Compartment 1 (L) 251 Volume Compartment 2 (L) / Volume Compartment 3 (L) 77 Total Net Volume (L) 328 Total gross volume (L) 348 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E		10.790 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E		10.790 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E		
Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E	CAPACITY	
Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E 328 77 77 77 78 78 78 78 78 78	Volume Compartment 1 (L)	251
Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E 328 328 328 328 348 Compartment 1 / Very Cellar capacity (bottles) // // // // // // // // //	Volume Compartment 2 (L)	1
Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E 348 / 248 / 248 / 250 / 25	Volume Compartment 3 (L)	77
Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E	Total Net Volume (L)	328
capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E	Total gross volume (L)	348
capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E	·	1
capacity (bottles) TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	·	1
Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	·	1
Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	TECHNICAL DETAILS	
Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	Voltage (V)	220-240V
Noise level (dB) 41 EFFICIENCY New Energy Label class E	Frequency (Hz)	50-60 Hz
EFFICIENCY New Energy Label class E	Climatic class	SN/T
New Energy Label class E	Noise level (dB)	41
	EFFICIENCY	
Energy consumption (kWh/year) 169	New Energy Label class	E
<u> </u>	Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

S600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





Compressor position Front finish Custom panel ready Handles NO Interior material finish PRICE (VAT and delivery charges not included) S&00TGT6 (right hinge) \$600TGT3 (left hinge) 11.885 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Net Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E PRICE (VAT and delivery charges not included) NO Stainless steel Pale (Label S) Stainless steel NO 11.885 € 11.8	AESTHETIC	
Handles NO Interior material finish Stainless steel PRICE (VAT and delivery charges not included) \$600TGT6 (right hinge) 11.885 € \$600TGT3 (left hinge) 11.885 € CAPACITY Volume Compartment 1 (L) 251 Volume Compartment 2 (L) / Volume Compartment 3 (L) 77 Total Net Volume (L) 328 Total gross volume (L) 348 Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	Compressor position	Bottom
Interior material finish PRICE (VAT and delivery charges not included) \$600TGT6 (right hinge) \$600TGT3 (left hinge) I1.885 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) Linearise steel 11.885 € 11.	Front finish	Custom panel ready
PRICE (VAT and delivery charges not included) S600TGT6 (right hinge) S600TGT3 (left hinge) 11.885 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E	Handles	NO
S600TGT6 (right hinge) S600TGT3 (left hinge) 11.885 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E	Interior material finish	Stainless steel
II.885 € S600TGT3 (left hinge) II.885 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) EFFICIENCY New Energy Label class E 11.885 € 11.825 € 12.821 12.	PRICE (VAT and delivery charges no	t included)
CAPACITY Volume Compartment 1 (L) 251 Volume Compartment 2 (L) / Volume Compartment 3 (L) 77 Total Net Volume (L) 328 Total gross volume (L) 348 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E		11.885 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E		11.885 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E		
Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E	CAPACITY	
Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E 328 77 77 70 328 7 220 240 7 7 7 7 7 7 7 7 7 7 7 7 7	Volume Compartment 1 (L)	251
Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E 328 328 328 348 Compartment 1 / Capacity (bottles) // // // // // // // // //	Volume Compartment 2 (L)	1
Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E 348 / / Z20-240V Frequency (bottles) Z20-240V Frequency (Hz) S0-60 Hz EFFICIENCY New Energy Label class E	Volume Compartment 3 (L)	77
Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class	Total Net Volume (L)	328
capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E	Total gross volume (L)	348
capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Noise level (dB) EFFICIENCY New Energy Label class E		
capacity (bottles) TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	•	1
Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	·	1
Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	TECHNICAL DETAILS	
Climatic class SN/T Noise level (dB) 41 EFFICIENCY New Energy Label class E	Voltage (V)	220-240V
Noise level (dB) 41 EFFICIENCY New Energy Label class E	Frequency (Hz)	50-60 Hz
EFFICIENCY New Energy Label class E	Climatic class	SN/T
New Energy Label class E	Noise level (dB)	41
	EFFICIENCY	
- (1.14)		E
Energy consumption (kWh/year) 169	Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

ACCESSORIES

Joining kit

• Cleaning kit

• Stainless steel sides panels

Stainless steel panels

• Extra length anti-tipping kit

FLD - Fhiaba Link DeviceFront ventilation kit90° Door stop

Stainless steel tubular handles Ø 30mm
Stainless steel tubular handles Ø 18mm

• Stainless steel portal for freestanding

Fhaba



FULL SIZE: WINE CELLAR

Model: 0T

Width: 60cm (599)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	NO
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS600TWT


60 cm, WINE CELLAR AND FREEZER, 0T MODEL BUILT-IN

X-PRO® SERIES









AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
XS600TWT6	12.125 €
(right hinge)	12.123 0
XS600TWT3	12.125 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar	F./
capacity (bottles)	54
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	·
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	157
Gross Weight (kg)	177
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

171

Energy consumption (kWh/year)




RS600TWT

60 cm, WINE CELLAR AND FREEZER, 0T MODEL BUILT-IN

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS600TWT6 (right hinge)	11.040 €
RS600TWT3 (left hinge)	11.040 €
CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	171
	The state of the s

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	155
Gross Weight (kg)	175
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

- Wine kit
- Cheese drawer
- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

KS600TWT


60 cm, WINE CELLAR AND FREEZER, 0T MODEL BUILT-IN

CLASSIC® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
KS600TWT6	11.035 €
(right hinge)	11.000 0
KS600TWT3	11.035 €
(left hinge)	
CAPACITY	
	240
Volume Compartment 1 (L) Volume Compartment 2 (L)	/
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar	002
capacity (bottles)	54
Compartment 2 / Middle wine cellar	
capacity (bottles)	,
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

DIMENSIONS & WEIGHT	
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	155
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

Energy consumption (kWh/year)

171

S600TWT


60 cm, WINE CELLAR AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)	
S600TWT6 (right hinge)	10.670 €
S600TWT3 (left hinge)	10.670 €

CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
	1

TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	171	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	142
Gross Weight (kg)	162
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD

ACCESSORIES

Freezer drawers

Fridge drawers type Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit

Door Bins

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit

- Cleaning kit

1 1

1

• Wine kit

• Cheese drawer

• Prosciutteria kit

• Beverage drawer

• Set of knives

• Cigar drawer

1+1 internal drawer

• Front ventilation kit • 90° Door stop

- Beverage shelf
- Beverage removable shelf
- Chocolate kit

• Active carbon filter

• FLD - Fhiaba Link Device



FULL SIZE: FRIDGE

Model: 0F

Width: 60cm (599)

One door, 1 Temperature ranges

Upper compartment: Fridge Lower compartment: Low Temp



FEATURES

- Made in Italy.
- · Galvanized steel body.
- Stainless steel interior finish
- · Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS600FR

60 cm, FRIDGE, 0FR MODEL **BUILT-IN**

X-PRO® SERIES





Top Front finish Stainless steel Handles Interior material finish Stainless steel PRICE (VAT and delivery charges not included) XS600FR6 (right hinge) XS600FR3 (left hinge) 12.005 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 2 / Lever wine cellar capacity (bottles)	AESTHETIC	
Handles Interior material finish Stainless steel PRICE (VAT and delivery charges not included) XS600FR6 (right hinge) XS600FR3 (left hinge) 12.005 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) I total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Compressor position	Тор
Interior material finish Stainless steel PRICE (VAT and delivery charges not included) XS600FR6 (right hinge) XS600FR3 (left hinge) 12.005 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Front finish	Stainless steel
PRICE (VAT and delivery charges not included) XS600FR6 (right hinge) XS600FR3 (left hinge) 12.005 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Handles	Stainless steel 030 mm
XS600FR6 (right hinge) XS600FR3 (left hinge) 12.005 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Interior material finish	Stainless steel
(right hinge) XS600FR3 (left hinge) 12.005 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	PRICE (VAT and delivery charges not	t included)
CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)		12.005 €
Volume Compartment 1 (L) 368 Volume Compartment 2 (L) / Volume Compartment 3 (L) / Total Net Volume (L) 368 Total gross volume (L) 378 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles)		12.005 €
Volume Compartment 1 (L) 368 Volume Compartment 2 (L) / Volume Compartment 3 (L) / Total Net Volume (L) 368 Total gross volume (L) 378 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles)		
Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	CAPACITY	
Volume Compartment 3 (L) Total Net Volume (L) 368 Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Volume Compartment 1 (L)	368
Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Volume Compartment 2 (L)	1
Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Volume Compartment 3 (L)	1
Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Total Net Volume (L)	368
capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles)	Total gross volume (L)	378
capacity (bottles)		1
Comportment 2 / Lower wine coller	•	1
capacity (bottles)	Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	TECHNICAL DETAILS	
Voltage (V) 220-240V	Voltage (V)	220-240V
Frequency (Hz) 50-60 Hz	Frequency (Hz)	50-60 Hz
Climatic class SN/T	Climatic class	SN/T
Noise level (dB) 41	Noise level (dB)	41
EFFICIENCY	EFFICIENCY	
New Energy Label class E	New Energy Label class	E
Energy consumption (kWh/year) 118	Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

XS600FG

60 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS600FG6 (right hinge)	13.095 €
XS600FG3 (left hinge)	13.095 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Filaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





RS600FR

60 cm, FRIDGE, 0FR MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
RS600FR6 (right hinge)	9.345 €
RS600FR3 (left hinge)	9.345 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	134
Gross Weight (kg)	156
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



RS600FG

60 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
RS600FG6 (right hinge)	10.435 €
RS600FG3 (left hinge)	10.435 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118
	T.

2120
608
620
134
156
1
from 2 to 8
1
YES
1
NO
NO
YES
4 - 1 fixed + 3 adjustable
GLASS
0
LOW TEMP
3
1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS600FR

60 cm, FRIDGE, 0FR MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600FR6 (right hinge)	9.335 €
KS600FR3 (left hinge)	9.335 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS600FG

60 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR

CLASSIC® SERIES





	w
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600FG6 (right hinge)	10.430 €
KS600FG3 (left hinge)	10.430 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar capacity (bottles)	1
FECHNICAL DETAILS	200 2707
Voltage (V)	220-240V
requency (Hz)	50-60 Hz
climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS O MEIOUT	
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S600FR

60 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	5
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600FR6 (right hinge)	8.850 €
S600FR3 (left hinge)	8.850 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	132
Gross Weight (kg)	152
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

S600FG

60 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600FG6 (right hinge)	9.945 €
S600FG3	9.945 €
(left hinge)	7.743 0
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar	1
capacity (bottles)	
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	132
Gross Weight (kg)	152
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop









FULL SIZE: WINE CELLAR

Model: 0F

Width: 60cm (599)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO NO
Defrost Process	AUTOMATIC
lce maker with water filter	NO NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS600FW

60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


X-PRO® SERIES











AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS600FW6	12.735 €
(right hinge)	12.733 €
XS600FW3 (left hinge)	12.735 €
(tort minge)	
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives

- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit



RS600FW


60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

DESIGNER® SERIES









Bottom		
Stainless steel		
Stainless steel 030 mm		
Stainless steel		
t included)		
11.165 €		
11.165 €		
352		
1		
1		
352		
364		
48		
1		
30		
TECHNICAL DETAILS		
220-240V		
50-60 Hz		
SN/T		
41		

169

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	152
Gross Weight (kg)	172
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit


KS600FW

60 cm, WINE CELLAR, 0FW MODEL BUILT-IN


CLASSIC® SERIES







Fhaba



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS600FW6	11.155 €
(right hinge) KS600FW3	
(left hinge)	11.155 €
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	
	41
EFFICIENCY	41
	41 G

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

S600FW


60 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES









Filalia

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600FW6	10.305 €
(right hinge) S600FW3	
(left hinge)	10.305 €
, constant of the constant of	
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	
capacity (bottles)	48
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	30
capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	133
Gross Weight (kg)	153
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

BKS600FW

60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

BRILLIANCE® SERIES




AESTHETIC









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges	not included)
BKS600FW6	8.910 €
(right hinge) BKS600FW3	0.7.10 0
(left hinge)	8.910 €
(10.11	
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	'
Compartment 3 / Lower wine cellar	
capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
	41
EFFICIENCY	
New Energy Label class	G

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

Energy consumption (kWh/year)

169

BS600FW


60 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

BRILLIANCE® SERIES









Fhaba

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Whited painted aluminium
PRICE (VAT and delivery charges no	t included)
BS600FW6 (right hinge)	8.800 €
BS600FW3	0.000.0
(left hinge)	8.800 €
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	/0
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	133
Gross Weight (kg)	153
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1

ACCESSORIES

Freezer drawers

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit

- Beverage drawer • Beverage shelf

• Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit

• Set of knives

• Cigar drawer

• Wine kit

- Beverage removable shelf
- Chocolate kit



FULL SIZE: FREEZER

Model: 0F

Width: 60cm (599)

One door, 1 Temperature ranges

Single compartment: Freezer



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Ladder rack shelving: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Freezer drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 Fixed & 2 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

XS600FZ

60 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS600FZ6 (right hinge)	11.035 €
XS600FZ3 (left hinge)	11.035 €
XS600FZ6I (right hinge, with ice maker)	11.970 €
XS600FZ3I (left hinge, with ice maker)	11.970 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
	0100
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	160
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS600FZ

60 cm, FREEZER, MODEL 0FZ BUILT-IN

DESIGNER® SERIES





A ESTLIETIC	
AESTHETIC	Pattom
Compressor position	Bottom Stainless staal
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	ot included)
RS600FZ6 (right hinge)	9.645 €
RS600FZ3 (left hinge)	9.645 €
RS600FZ6I (right hinge, with ice maker)	10.580 €
RS600FZ3I (left hinge, with ice maker)	10.580 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	151
Gross Weight (kg)	171
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS600FZ

60 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
(S600FZ6 right hinge)	9.640 €
(S600FZ3 Left hinge)	9.640 €
(S600FZ6I right hinge, with ice maker)	10.575 €
KS600FZ3I left hinge, with ice maker)	10.575 €
CAPACITY	
olume Compartment 1 (L)	342
olume Compartment 2 (L)	1
olume Compartment 3 (L)	1
otal Net Volume (L)	342
otal gross volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
ΓECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
limatic class	SN/T
oise level (dB)	41
FFICIENCY	
ew Energy Label class	E
nergy consumption (kWh/year)	271

2050
599
635
151
171
1
from -15 to -22
1
NO
1
NO
NO
YES
3 - 1 Fixed & 2 adjustable
GLASS
2
1
1
4

Fhaba

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S600FZ

60 cm, FREEZER, 0FZ MODEL FULLY INTEGRATED

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600FZ6 (right hinge)	9.215 €
S600FZ3 (left hinge)	9.215 €
S600FZ6I (right hinge, with ice maker)	10.150 €
S600FZ3I (left hinge, with ice maker)	10.150 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

Fhaba

• 90° Door stop

FULL SIZE: FREEZERS/WINE CELLARS

Width: 45cm (449)









FULL SIZE: WINE CELLAR

Model: 0F

Width: 45cm (449)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO NO
Defrost Process	AUTOMATIC
lce maker with water filter	NO NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES


XS450FW6

45 cm, WINE CELLAR, 0FW MODEL BUILT-IN

X-PRO® SERIES







Filaba

AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
XS450FW6	12.250 €
(right hinge) XS450FW3	
(left hinge)	12.250 €
<u>.</u>	
CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar	00
capacity (bottles)	32
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	20
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Glass door
- Joining kit
- X-Pro top grill kit
- Stainless steel tubular handles Ø 30mm
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Prosciutteria kit




RS450FW6

45 cm, WINE CELLAR, 0FW MODEL BUILT-IN

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel

PRICE (VAT and delivery charges not included)	
RS450FW6 (right hinge)	10.800 €
RS450FW3 (left hinge)	10.800 €

CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar capacity (bottles)	32
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	20

TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	

Energy consumption (kWh/year)

169

2120
455
620
141
161
2
from 4 to 18
1
NO
from 4 to 18
NO
NO
YES
13
WOOD
1
1
1
1

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- \bullet 90° Door stop
- Wine kit
- Cheese drawer

- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- •Prosciutteria Kit


KS450FW6

45 cm, WINE CELLAR, 0FW MODEL BUILT-IN

CLASSIC® SERIES







Fhaba

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
KS450FW6	10.790 €
(right hinge) KS450FW3	
(left hinge)	10.790 €
CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar	
capacity (bottles)	32
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	20
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Prosciutteria kit

S450FW6


45 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES









Fhala

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S450FW6	9.945 €
(right hinge) S450FW3	777.10
(left hinge)	9.945 €
CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar	00
capacity (bottles)	32
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	20
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	449
Depth of Product without handle (mm)	610
Net Weight (kg)	128
Gross Weight (kg)	148
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Prosciutteria kit



FULL SIZE: FREEZER

Model: 0F

Width: 45cm (449)

One door, 1 Temperature ranges

Single compartment: Freezer



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- 3 1 Fixed & 2 adjustable: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Freezer drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 Fixed & 2 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	3
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

XS450FZ

45 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS450FZ6 (right hinge)	10.915 €
XS450FZ3 (left hinge)	10.915 €
XS450FZ6I (right hinge, with ice maker)	11.845 €
XS450FZ3I (left hinge, with ice maker)	11.845 €
CAPACITY	
Volume Compartment 1 (L)	223
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	223
Total gross volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	238

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	3

Fhaba

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS450FZ

45 cm, FREEZER, MODEL 0FZ **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS450FZ6	9.585 €
(right hinge) RS450FZ3	
(left hinge)	9.585 €
RS450FZ6I	10.525 €
(right hinge, with ice maker) RS450F73I	10.020 0
(left hinge, with ice maker)	10.525 €
CAPACITY	
Volume Compartment 1 (L)	223
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	223
Total gross volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	238

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	455
Depth of Product without handle (mm)	620
Net Weight (kg)	131
Gross Weight (kg)	151
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	3

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS450FZ

45 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS450FZ6	9.580 €
(right hinge)	7.000 0
KS450FZ3 (left hinge)	9.580 €
KS450FZ6I	10.515 €
(right hinge, with ice maker)	10.313 €
KS450FZ3I (left hinge, with ice maker)	10.515 €
-	
CAPACITY	
Volume Compartment 1 (L)	223
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	223
Total gross volume (L)	225
Compartment 1 / Upper wine cellar	1
capacity (bottles)	,
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
Capacity (buttles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	238
<u> </u>	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	3

• 90° Door stop

- Stainless steel sides panels
- Ice maker with water filter
- Water filtration system
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Water filter cartridge
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting

S450FZ

45 cm, FREEZER, 0FZ MODEL BUILT-IN

INTEGRATED® SERIES





AESTHETIC	_
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO .
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S450FZ6	9.095 €
(right hinge) S450FZ3	
(left hinge)	9.095 €
S450FZ6I	10.030 €
(right hinge, with ice maker)	10.030 t
S450FZ3I (left hinge, with ice maker)	10.030€
CAPACITY	
Volume Compartment 1 (L)	223
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	223
Total gross volume (L)	225
Compartment 1 / Upper wine cellar	1
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	F
Energy consumption (kWh/year)	238
Energy consomption (NVIII) year)	200

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	449
Depth of Product without handle (mm)	610
Net Weight (kg)	121
Gross Weight (kg)	141
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	3

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop





Door opening hinge					
	Code	Series	Model Ref	Description	Price
	6	Integrated Classic Desinger Brilliance XPro Country	90 75 60 45	Right hinge	FREE
	3	Integrated Classic Desinger Brilliance XPro Country	90 75 60 45	Left hinge	FREE
Stainless steel sides					
	Code	Series	Model Ref	Description	Price
	FKK65T	Integrated, Classic, Brilliance	90 1T/OT 75 OT	Stainless steel sides	650€
	FKK65H	Integrated, Classic, Brilliance	90 OH 75 OH	Stainless steel sides	650€
	FKK65T599	Integrated, Classic, Brilliance	60 1T/0T	Stainless steel sides	650 €
	FKK65F	Integrated, Classic, Brilliance	90 OF 75 OF	Stainless steel sides	650 €
	FKK65F599	Integrated, Classic, Brilliance	60 OF 45 OF	Stainless steel sides	650 €
	FMX65T	X-Pro	90 1T/0T 75 0T	Stainless steel sides	650 €
	FMX65H	X-Pro	90 OH 75 OH	Stainless steel sides	650 €
	FMX65T599	X-Pro	60 1T/0T	Stainless steel sides	650 €
	FMX65F	X-Pro	90 OF 75 OF	Stainless steel sides	650 €
	FMX65F599	X-Pro	60 OF 45 OF	Stainless steel sides	650 €

The sides will be pre-installed in the factory and are not removable.

At the end of the zip code, add 3 to the left and 6 for the right hinge.

For the installation of 2 or more units, indicate the model and where you want to apply the stainless steel sides.



Joining kit – Xpro and Cour	ntry Series				
	Code	Series	Model Ref	Description	Price
	KCCMTF	XPro	901T/0T/0H/0F 751T/0T/0H/0F 601T/0T/0H/0F 450F	Joining kit – central (Joining brackets, airflow separation included)	195 €
	КССМТХ	XPro Country	901T/0T/0H/0F 751T/0T/0H/0F 601T/0T/0H/0F 450F	Joining kit - central models with stainless steel sides (Joining brackets, airflow separation included +Anti-condensation kit)	230 €
(Pro top ventilation grille					
	Code	Series	Model Ref	Description	Price
	XPR090T0P	XPro	XS45 + XS45	Kit grill + single socket	765 €
	XPR0105T0P	XPro	XS45 + XS60	Kit grill + single socket	790 €
	XPR0120T0P	XPro	XS60 + XS60 XS75 + XS45	Kit grill + single socket	825 €
	XPR0135T0P	XPro	XS75 + XS60 XS90 + XS45	Kit grill + single socket	875 €
	XPR0150T0P	XPro	XS75 + XS75 XS90 + XS60	Kit grill + single socket	935 €
	XPR0165T0P	XPro	XS75 + XS90	Kit grill + single socket	1.005 €
<u> </u>	XPR0180TOP	XPro	XS90 + XS90	Kit grill + single socket	1.065 €
	XPR0195T0P	XPro	XS75 + XS60 + XS60	Kit grill + single socket	1.080 €
	XPRO210TOP	XPro	XS75 + XS75 + XS60	Kit grill + single socket	1.115 €
	XPR0225T0P	XPro	XS75 + XS75 + XS75	Kit grill + single socket	1.140 €
	XPR0240TOP	XPro	XS90 + XS90 + XS60	Kit grill + single socket	1.165 €
	XPR0255T0P	XPro	XS90 + XS90 + XS75	Kit grill + single socket	1.190 €



	LD :::: 6 :				
Joining kit - Integrated and			M 1 1 D 6	B	D :
	Code	Series	Model Ref	Description	Price
	KCCITF	Integrated	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	195 €
	KCCITFW	Brilliance Integrated	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit – central white (Joining brackets, airflow separation included)	195 €
Joining kit - Classic and B	rilliance Series				
	Code	Series	Model Ref	Description	Price
	KCCKTF	Classic	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	230 €
	KCCKTFW	Brilliance Classic	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit - central white (Joining brackets, airflow separation included)	230 €
Joining kit - Designer Seri					
ii ii a	Code	Series	Model Ref	Description	Price
	KCCKTFU	Designer	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	230 €
61 1 1 11111					
Single lower grill kit					
Single lower grill kit	Code	Series	Model Ref	Description	Price
Single lower grill kit	Code	Series Classic	Model Ref 90/75 60/45	Description Single lower grille kit	Price on request
Tubular handles AISI 304	Code		90/75		
	Code		90/75		
		Classic	90/75 60/45 Model Ref 90 75 60	Single lower grille kit	on request
Tubular handles AISI 304	Code	Classic	90/75 60/45 Model Ref 90 75 60 90 75 60	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm	on request Price
	Code HV	Classic Series Integrated	90/75 60/45 Model Ref 90 75 60 90 75	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm	on request Price 250 €
Tubular handles AISI 304	Code HV HVF	Classic Series Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join OF and OH models	on request Price 250 € 295 €
Tubular handles AISI 304	Code HV HVF H08	Series Integrated Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join OF and OH models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in)	on request Price 250 € 295 €
Tubular handles AISI 304	Code HV HVF H08 H07	Series Integrated Integrated Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 90 75 60	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in)	on request Price 250 € 295 € 240 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05	Series Integrated Integrated Integrated Integrated Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	on request Price 250 € 295 € 240 € 230 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05	Series Integrated Integrated Integrated Integrated Integrated Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 45 90 75 60 90 75	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	on request Price 250 € 295 € 240 € 230 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05 HCV HC8	Series Integrated Integrated Integrated Integrated Integrated Integrated Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 45 90 90 75 60	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm	on request Price 250 € 295 € 240 € 220 € 195 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05 HCV HC8 HC7	Series Integrated Integrated Integrated Integrated Integrated Integrated Integrated Integrated Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 45 90 75 60 45 90 75	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm	on request Price 250 € 295 € 240 € 220 € 195 € 185 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05 HCV HC8 HC7 HC5 HPROV	Series Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 90 75 60 90 75 60 90 75 60	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm Vertical tubular handle, round section Ø18 mm Vertical tubular handle, round section Ø18 mm	on request Price 250 € 295 € 240 € 220 € 195 € 185 € 175 € 305 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05 HCV HC8 HC7 HC5 HPROV HPRO8	Classic Series Integrated Designer Designer	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 45 90 75 60 45 90 75 60 45 90 75 60 45 90 75 60 90 75 60 90 75 60 90 75 60 90 75 60 90 75 60 90 75 60 90 75 60 90 75 60 90 90 75 60 90 90 90 90 90 90 90 90 90 90 90 90 90	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø30 mm Ø30 mm Vertical tubular handle, round section Ø30 mm Ø30 mm Horizontal tubular handle, round section Ø30 mm	on request Price 250 € 295 € 240 € 220 € 195 € 195 € 185 € 175 € 305 € 305 €
Tubular handles AISI 304	Code HV HVF H08 H07 H05 HCV HC8 HC7 HC5 HPROV	Series Integrated	90/75 60/45 Model Ref 90 75 60 90 75 60 45 90 75 60 45 90 75 60 45 90 75 60 45 90 75 60 45	Single lower grille kit Description Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in) Vertical tubular handle, round section Ø30 mm to join 0F and 0H models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm Vertical tubular handle, round section Ø18 mm Vertical tubular handle, round section Ø18 mm	on request Price 250 € 295 € 240 € 220 € 195 € 185 € 175 € 305 €



Extra Tilting kit					
Extra ritting kit	Code	Series	Model Ref	Description	Price
	B04000900	Integrated Classic / Designer Brilliance XPro Country	90 75 60 45	Extra Length Anti-tipping Kit (allows the installation in units with depth of 80 cm)	FREE
Anti-condensation kit					
	Code	Series	Model Ref	Description	Price
	KAC16	XPro Country	90 75 60 45	Anti-condensation Kit adhesive 1,6 cm thick for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)	57€
Fhiaba Link Device					
	Code	Series	Model Ref	Description	Price
	FLD	Integrated Classic / Designer Brilliance XPro Country	90 75 60 45	Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.	640 €
Color box					
	Code	Series	Model Ref	Description	Price
	CARTCOL	Classic Brilliance XPro Country Designer	90 75 60 45	Fhiaba colour chart	425 €
Painting					
	Code	Series	Model Ref	Description	Price
	Code	Series XPro	90 75 60 45	Description Front	Price 1.545 €
	Code		90 75 60		
	Code	XPro	90 75 60 45 90 75 60	Front	1.545 €
	Code	XPro XPro Classic Designer Brilliance	90 75 60 45 90 75 60 45	Front	1.545 €
	Code	XPro XPro Classic Designer Brilliance Designer Classic Designer	90 75 60 45 90 75 60 45 90 75 60 45	Front Sides Front	1.545 € 995 € 1.430 €



Cleaning and hygiene					
	Code	Series	Model Ref	Description	Price
	RP00KP	Integrated Classic /Designer Brilliance XPro Country	90 75 60 45	Cleaning kit microfiber cloth and magic sponge	80€
	RP00FA	Integrated Classic / Designer Brilliance XPro Country	90 75 60 45	Water filter cartridge (for models with Ice Maker and Water Dispenser)	110 €
	ACF	Integrated Classic Classic /Designer XPro Country	90 75 60 45	Activated carbon filter	70 €
90° door stop					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Brilliance XPro Country	90 75 60 45	90° door stop	240 €
Air front kit					
	Code	Series	Model Ref	Description	Price
	ESPKIT	Integrated Classic /Designer Brilliance XPro Country	90 75	Air front kit	560€
Stainless steel panels					
	Code	Series	Model Ref	Description	Price
		Integrated	90 75 60 45	Stainless steel panels	on request
Stainless steel portal for fr					
	Code	Series	Model Ref	Description	Price
		Integrated Classic	90 75 60 45	Stainless steel portal for freestandig installation	on request



Wine Kit					
	Code	Series	Model Ref	Description	Price
	NBK45	Integrated Classic Designer Brilliance XPro	45	Support made of solid oak wood for 4 bottles 750ml or 2 magnum bottles 1,5 liters with corkscrewand 2 prestige stopper caps	425 €
	NBK60	Integrated Classic Designer Brilliance XPro	60	Support made of solid oak wood for 8 bottles 750ml or 4 magnum bottles 1,5 liters with corkscrew and 2 prestige stopper caps	460 €
	NBK75	Integrated Classic Designer Brilliance XPro	75	Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with corkscrew and 3 prestige stopper caps	525 €
	NBK90	Integrated Classic Designer Brilliance XPro	90	Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with corkscrew and 3 prestige stopper caps	595 €
Cheese drawers					
	Code	Series	Model Ref	Capacity	Price
	NCTB45	Integrated Classic Designer Brilliance XPro	45	13,9 lt	580 €
	NCTB60	Integrated Classic Designer Brilliance XPro	60	23,8 lt	640 €
	NCTB75	Integrated Classic Designer Brilliance XPro	75	33,1 lt	715 €
	NCTB90	Integrated Classic Designer Brilliance XPro	90	43 lt	750 €
	NCTS45	Integrated Classic Designer Brilliance XPro	45	8,8 lt	560 €
	NCTS60	Integrated Classic Designer Brilliance XPro	60	15 lt	605 €
	NCTS75	Integrated Classic Designer Brilliance XPro	75	20,9 lt	700 €
	NCTS90	Integrated Classic Designer Brilliance XPro	90	27,1 lt	715 €



The drawers for storing the cheese are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood.


With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access. On the bottom a perforated steel plate for perfect humidity and hygiene. All fresh food can be stored in the drawer by setting the appropriate Temperature ranges in the cellar display.

Temperature ranges in the cellar di	splay.				
Bottle kit					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	60	Bottle kit	675€
Beverage drawers					
	Code	Series	Model Ref	Description	Price
	NBGD45	Integrated Classic Designer Brilliance XPro	45	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 10,5 L.)	345 €
	NBGD60	Integrated Classic Designer Brilliance XPro Country	60	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 18,4 L.)	355 €
	NBGD75	Integrated Classic Designer Brilliance XPro Country	75	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity25,9 L.)	365€
	NBGD90	Integrated Classic Designer Brilliance XPro Country	90	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 33,8 L.)	375 €
Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSF45	Integrated Classic Designer Brilliance XPro	45	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 21 da 33/50 cc)	240 €
	NBGSF60	Integrated Classic Designer Brilliance XPro Country	60	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 da 33/50 cc)	265 €
	NBGSF75	Integrated Classic Designer Brilliance XPro Country	75	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 56 da 33/50 cc)	275 €
	NBGSF90	Integrated Classic Designer Brilliance XPro Country	90	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 70 da 33/50 cc)	285 €



	elf Code	Series	Model Ref	Description	Price
	Code	Integrated	Model Kel	Description	Price
		Classic			
	NBGS45	Designer	45	Removable 6mm tempered glass shelves	320 €
		Brilliance	1	(cans capacity:21 da 33/50 cc)	3200
		XPro			
		Integrated			
	NDCC/0	Classic Designer	/0	Removable 6mm tempered glass shelves	000.0
	NBGS60	Brilliance	60	(cans capacity: 42 da 33/50 cc)	330 €
// H		XPro Country			
		Integrated			
		Classic		Demonstration of the state of t	
-	NBGS75	Designer Brilliance	75	Removable 6mm tempered glass shelves (cans capacity:: 56 da 33/50 cc)	345 €
		XPro		(Janis Supusity 30 dd 30/30 00/	
		Country			
		Integrated Classic			
	NBGS90	Designer	90	Removable 6mm tempered glass shelves	355 €
		Brilliance XPro	'	(cans capacity:70 da 33/50 cc)	300 0
		Country			
nocolate kit					
	Code	Series	Model Ref	Description	Price
		Integrated			
		Classic			
	NCK60	Designer Brilliance	60	Support made of solid oak wood	545 €
1000		XPro			
		Country			
gar drawers					
			MALLED C		
	Code	Series	Model Ref	Capacity	Price
	Code	Integrated	Model Ref	Capacity	Price
		Integrated Classic			
	NCSGB45	Integrated Classic Designer	45	Capacity 13,9 lt	Price 560 €
		Integrated Classic Designer Brilliance			
		Integrated Classic Designer Brilliance XPro Integrated			
		Integrated Classic Designer Brilliance XPro Integrated Classic			
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer	45	13,9 lt	560€
		Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance			
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro	45	13,9 lt	560€
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country	45	13,9 lt	560€
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated	45	13,9 lt	560€
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic	60	13,9 lt 23,8 lt	560 € 605 €
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated	45	13,9 lt	560€
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro	60	13,9 lt 23,8 lt	560 € 605 €
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XYro Country Integrated Classic Designer Brilliance XPro Country Country	60	13,9 lt 23,8 lt	560 € 605 €
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XYro Country Integrated Classic Designer Brilliance XPro Country Integrated	60	13,9 lt 23,8 lt	560 € 605 €
	NCSGB45 NCSGB60 NCSGB75	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic	45 60 75	13,9 lt 23,8 lt 33,1 lt	560 € 605 €
	NCSGB45	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Designer	60	13,9 lt 23,8 lt	560 € 605 €
	NCSGB45 NCSGB60 NCSGB75	Integrated Classic Designer Brilliance XPro Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic Designer Brilliance XPro Country Integrated Classic	45 60 75	13,9 lt 23,8 lt 33,1 lt	560 € 605 € 700 €





no draware for etering the eiger s	are offered in two hoig	country	docianed and made l	U by Friulian artisans in precious okumè wood.	
'ith ultra-clear tempered glass fi	ront for proper attention	on to the products to	be stored, a sliding (oy Friddan artisans in precious okume wood. cover in ultra-clear tempered glass on "Teflon" guid	es with a solid wo
ndle for easy access.		•			
et of knives					
	Code	Series	Model Ref	Description	Price
	NCP60	Integrated Classic Designer Brilliance XPro Country	60	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	595 €
	NCP75	Integrated Classic Designer Brilliance XPro Country	75	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	640€
	NCP90	Integrated Classic Designer Brilliance XPro Country	90	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	685€
Prosciutteria kit					
	Code	Series	Model Ref	Description	Price
	KP4	Integrated Classic Designer XPro	45 0FW	Prosciutteria kit	715 €
	KP5	Integrated Classic Designer Brilliance XPro Country	60 0TW 60 0FW	Prosciutteria kit	740€
	KP7	Integrated Classic Designer Brilliance XPro Country	75 OTW 75 OHW 75 OFW	Prosciutteria kit	765 €
	KP9	Integrated Classic Designer Brilliance	90 0HW 90 0FW	Prosciutteria kit	800 €



Evenlift separate shelves			<u> </u>		
Eventifit separate sherves	Code	Series	Model Ref	Description	Price
	EL33	Integrated Classic Designer Brilliance XPro Country	90 OT/OH/OF	3+3 double EvenLift shelves in aluminium and glass	835€
	EL33_75	Integrated Classic Designer Brilliance XPro Country	75 OT/OH/OF	3+3 double EvenLift shelves in aluminium and glass	835 €
Navigation door lock kit					
	Code	Series	Model Ref	Description	Price
	KBN	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Navigation door lock kit	835 €
Gastronorm trays					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	90 OT/OF	Gastronorm trays	on request

UNDERCOUNTER PRODUCT CODE SPECIFICATIONS

Example: UC W 60 1T P 0 X

UC = UNDERCOUNTER

W

1T

X

digit # 2 > model type

B = beverage center

W= wine

2D = TriMode drawers

90 = 90 cm 75 = 75 cm 60 = 60 cm

digit # 3 > width

digit # 4 >beverage center and wine cellar configuration1T = 1 Temperature ranges

2T = 2separate microclimates

digit # 5 > series
P = Premium
GM = Gran Maestro

digit # 6 > outdoor empty = indoor

O = premium outdoor

digit # 7 > optional

X = Model X - empty I = To indicate a unit equipped with Ice Maker (available only on 90 and 75cm GranMaestro drawers models)



Export Price list 2.1/2024

					Premiur	n indoor P		Premium	outdoor PO	
Version	Mod.	Width	Hinge opening	Optionals	Product code	Price	Page	Product code	Price	Page
BEVERAGE/FRIDGE	2T	60	DX		UCB602TP	4.365 €	216	UCB602TP0	4.730 €	217
			DX	MODEL X	UCB602TPX	4.000 €	216	UCB602TPOX	4.365 €	217
	1T	60	DX		UCB601TP	3.615 €	222	UCB601TP0	4.365 €	223
			DX	MODEL X	UCB601TPX	3.215 €	222	UCB601TPOX	4.000 €	223
WINE CELLAR	2T	60	DX		UCW602TP	4.610 €	228	UCW602TP0	4.850 €	229
			DX	MODEL X	UCW602TPX	4.245€	228	UCW602TPOX	4.495 €	229
	1T	60	DX		UCW601TP	3.890 €	234	UCW601TP0	4.495 €	235
			DX	MODEL X	UCW601TPX	3.480 €	234	UCW601TPOX	4.125 €	235
TRIMODE	2D	90			UC2D90P	5.710€	242	UC2D90P0	6.315 €	243
DRAWERS				ICE MAKER						
		75			UC2D75P	5.335 €	248	UC2D75P0	6.065€	249
				ICE MAKER						
		60			UC2D60P	5.215 €	254	UC2D60P0	5.820 €	255

Reversible door: Right hinge > standard Left hinge > on request

					Premium outdo	or Built-in so	lid door	Premium ou	ıtdoor Built-ir	n
Version	Mod.	Width	Hinge opening	Optionals	Product code	Price	Page	Product code	Price	Page
BEVERAGE/FRIDGE	2T	60	DX		UCB602TP0LPS	5.175 €	216	UCB602TPOL	5.070 €	216
			DX	MODEL X	UCB602TPX0LPS	4.810 €	216	UCB602TPX0L	4.710 €	216
	1T	60	DX		UCB601TP0LPS	4.810 €	222	UCB601TPOL	4.710 €	222
			DX	MODEL X	UCB601TPX0LPS	4.450 €	222	UCB601TPXOL	4.345 €	222
WINE CELLAR	2T	60	DX		UCW602TP0LPS	5.295 €	228	UCW602TPOL	5.195 €	228
			DX	MODEL X	UCW602TPX0LPS	4.935 €	228	UCW602TPX0L	4.830 €	228
	1T	60	DX		UCW601TP0LPS	4.935 €	234	UCW601TPOL	4.830 €	234
			DX	MODEL X	UCW601TPX0LPS	4.570 €	234	UCW601TPX0L	4.465 €	234
TRIMODE	2D	90			UC2D90POL	6.650 €	242	UC2D90POL	6.650 €	242
DRAWERS				ICE MAKER						
		75			UC2D75POL	6.405 €	248	UC2D75P0L	6.405 €	248
				ICE MAKER						
		60			UC2D60POL	6.165 €	254	UC2D60POL	6.165 €	254

Reversible door: Right hinge > standard Left hinge > on request



Gran Maes	Gran Maestro indoor GM			Gran Maestro Outdoor GM		
Product code	Price	Page	Product code	Price	Page	
UCB602TGM	5.160 €	218	UCB602TGMO	5.470 €	219	
UCB602TGMX	4.610 €	218	UCB602TGMOX	4.860 €	219	
UCB601TGM	4.005 €	224	UCB601TGMO	4.860 €	225	
UCB601TGMX	4.255 €	224	UCB601TGMOX	4.255 €	225	
UCW602TGM	5.395 €	230	UCW602TGM0	5.710 €	231	
UCW602TGMX	4.850 €	230	UCW602TGMOX	5.100 €	231	
UCW601TGM	4.730 €	236	UCW601TGM0	5.100 €	237	
UCW601TGMX	4.365 €	236	UCW601TGMOX	4.620 €	237	
UC2D90GM	6.670 €	244	UC2D90GM0	6.920 €	245	
UC2D90GMI	7.605 €	258	UC2D90GM0I	7.860 €	245	
UC2D75GM	6.550 €	258	UC2D75GM0	6.805€	251	
UC2D75GMI	7.480 €	250	UC2D75GMOI	7.735 €	251	
UC2D60GM	6.425 €	256	UC2D60GM0	6.555€	251	

UNDERCOUNTER: FRIDGE/BEVERAGES/WINE CELLARS

Width: 60cm

1	Width: 60cm				
	60	FRIDGE/BEVERAGE		WINE CELLAR	
		2 Temperature ranges	1 Temperature ranges	2 Temperature ranges	1 Temperature ranges
	PREMIUM INDOOR				
		UCB602TP	UCB601TP	UCW602TP	UCW601TP
	Model X	UCB602TPX	UCB601TPX	UCW602TPX	UCW601TPX
	PREMIUM OUTDOOR				
		UCB602TP0	UCB601TPO	UCW602TP0	UCW601TP0
	Model X	UCB602TPOX	UCB601TPOX	UCW602TPOX	UCW601TPOX
	GRAN MAESTRO INDOOR	UCB602TGM	UCB601TGM	UCW602TGM	UCW601TGM
	Model X	UCB602TGMX	UCB601TGMX	UCW602TGMX	UCW601TGMX
	GRAN MAESTRO OUTDOOR	UCB602TGMO	UCB601TGMO	UCW602TGM0	UCW601TGM0

UCB601TGMOX

UCW602TGM0X

UCW601TGMX0

UCB602TGMOX





UNDERCOUNTER: FRIDGE/BEVERAGE

Model: 2T

Width: 60cm

One door, 2 separate Temperature ranges

Upper compartment: Fridge/Beverage Lower compartment: Fridge/Beverage



FEATURES

- Made in Italy.
- · Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	GLASS/W00D
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCB602TP

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL PREMIUM INDOOR



UNDERCOUNTER® SERIES





Bottom
Custom panel ready
NO
Stainless steel
OLED
t included)
4.365 €
4.000 0
4.000 €
5.175 €
J.17J &
4.810 €
1
5.070 €
5.070 €
4.710 €
4.710 €
4.710 € 143
4.710 € 143 /
4.710 € 143 / / 143 / 143
4.710 € 143 1 143
4.710 € 143 / / 143 / 143
4.710 € 143 1 143 1 143 1 23
4.710 € 143 1 143 1 23 42
4.710 € 143 1 143 1 23 42
4.710 € 143 1 143 1 23 42
4.710 € 143 1 143 1 23 42 1 11
4.710 € 143
4.710 € 143 / 143 / 143 / 143 / 11 23 42 / 11 11 220-240V 50/60 Hz
4.710 € 143

G
122
865
598
572
60
75
2
from 2 to 8
from 2 to 8
NO
1
NO
YES
YES
5
GLASS/WOOD
1

ACCESSORIES

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

- Set of knives
- Prosciutteria kit

Filaba

UCB602TP0

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL PREMIUM OUTDOOR



UNDERCOUNTER® SERIES





AESTHETIC Compressor position Front finish Handles Stainless steel Handles Interior material finish Dysplay PRICE (VAT and delivery charges not included) UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 3 (L) I total Net Volume (L) Total Net Volume (L) Total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T Noise level (dB) 4 Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel Stainless st		
Front finish Handles Stainless steel Stainless steel 0 18mm Interior material finish Stainless steel Dysplay OLED PRICE (VAT and delivery charges not included) UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) I Volume Compartment 3 (L) I otal Net Volume (L) I otal gross volume (L) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) I Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	AESTHETIC	
Handles Interior material finish Stainless steel 0 18mm Stainless steel Dysplay OLED PRICE (VAT and delivery charges not included) UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Compressor position	Bottom
Interior material finish Dysplay DLED PRICE (VAT and delivery charges not included) UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) I total Net Volume (L) I total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Front finish	Stainless steel
Dysplay PRICE (VAT and delivery charges not included) UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) Iotal gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Handles	Stainless steel 0 18mm
PRICE (VAT and delivery charges not included) UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class SN/T	Interior material finish	Stainless steel
UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 3 (L) Iotal Net Volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter bottom wooden bottle holder (bottles) Ichnoical State S	Dysplay	OLED
UCB602TPO (right hinge) UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 3 (L) Iotal Net Volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter bottom wooden bottle holder (bottles) Ichnoical State S	PRICE (VAT and delivery charges no	ot included)
UCB602TPOX (right hinge, MODEL X empty) CAPACITY Volume Compartment 1 (L) Volume Compartment 3 (L) Iotal Net Volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Voltage Solume (L) 4.365 € 4.365 € 4.365 € 4.365 € 4.365 € 143 Volume Compartment 1 (L) // // // // // // // // //		
(right hinge, MODEL X empty) 4.365 € CAPACITY Volume Compartment 1 (L) 143 Volume Compartment 2 (L) / Volume Compartment 3 (L) / Total Net Volume (L) 143 Total gross volume (L) / CAPACITY wine cellar (bottles) 23 Undercounter glass shelf capacity (cans) 42 Undercounter drawer capacity (cans) / Undercounter bottom wooden bottle holder (bottles) 11 TECHNICAL DETAILS 11 Voltage (V) 220-240V Frequency (Hz) 50/60 Hz Climatic class SN/T		4./30 €
Volume Compartment 1 (L) 143 Volume Compartment 2 (L) / Volume Compartment 3 (L) / Total Net Volume (L) 143 Total gross volume (L) / CAPACITY wine cellar (bottles) 23 Undercounter glass shelf capacity (cans) 42 Undercounter drawer capacity (cans) / Undercounter bottom wooden bottle holder (bottles) 11 TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50/60 Hz Climatic class SN/T		4.365 €
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 143 143 143 1443 145 145 147 148 149 149 149 149 150 160 170 170 180 180 180 180 180 18		
Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Your description of the properties of the prope		1/.2
Volume Compartment 3 (L) / Total Net Volume (L) 143 Total gross volume (L) / CAPACITY wine cellar (bottles) 23 Undercounter glass shelf capacity (cans) 42 Undercounter drawer capacity (cans) / Undercounter bottom wooden bottle holder (bottles) 11 TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50/60 Hz Climatic class SN/T		1.0
Total Net Volume (L) Total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class	•	•
Total gross volume (L) CAPACITY wine cellar (bottles) Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class	· · · · · · · · · · · · · · · · · · ·	· '
Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 23 42 II 11 23 Example 10 12 13 14 15 16 17 17 18 18 18 18 18 18 18 18	· · · · · · · · · · · · · · · · · · ·	1 1 1
Undercounter glass shelf capacity (cans) Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 42 II 220-240V SN/T	lotat gross votolile (L)	
Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Voltage (SN/T	CAPACITY wine cellar (bottles)	23
Undercounter drawer capacity (cans) Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class Voltage (SN/T		
Undercounter bottom wooden bottle holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 11 220-240V SN/T	Undercounter glass shelf capacity (cans)	42
holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 11 220-240V SN/T	Undercounter drawer capacity (cans)	1
holder (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) Climatic class 11 220-240V SN/T	Undercounter bottom wooden bottle	
TECHNICAL DETAILS Voltage (V) 220-240V Frequency (Hz) 50/60 Hz Climatic class SN/T		11
Voltage (V) 220-240V Frequency (Hz) 50/60 Hz Climatic class SN/T		
Frequency (Hz) 50/60 Hz Climatic class SN/T		T
Climatic class SN/T		220-240V
Noise level (dB) 41	Climatic class	SN/T
	Noise level (dB)	41

EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122
BIMENSIONS A WEIGHT	
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
	V50
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Freezer drawers	1

Fhaba

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria kit



UCB602TGM

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UCB602TGM (right hinge)	5.160 €
UCB602TGMX (right hinge, MODEL X empty)	_ 4.610 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Bottom drawers	1

ACCESSORIES

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

• Prosciutteria Kit



UCB602TPGMO

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UCB602TGM0	5 470 €
(right hinge)	0.4/0€
UCB602TGMOX	4.860 €
(right hinge, MODEL X empty)	
CARACITY	
CAPACITY	440
Volume Compartment 1(L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle	
holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

8
8
/00D

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria Kit
- Painting





UNDERCOUNTER: FRIDGE/BEVERAGE

Model: 1T

Width: 60cm

One door, 1 Temperature range Single compartment: Fridge/Beverage



FEATURES

- Made in Italy.
- · Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated /built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
ow vibration	YES
Optieview (LED light spots)	YES
Shelves	4
Slide-out shelves	YES
Type of shelves	GLASS/W00D
ridge drawers type	1
resco/LowTemp Drawers	1
Bottom drawers	1
ull Extension shelves 90° door opening	YES
ull Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
ce maker with water filter	NO
Ooor Open Alarms	YES
lumidity control	NO
ctive carbon filter	NO
ir filter control	NO
hopping Fridge	NO
hopping Freezer	NO
Power Failure Function	YES

UCB601TP

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL PREMIUM INDOOR



UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCB601TP	3.615 €
(right hinge)	0.010 0
UCB601TPX (right hinge, MODEL X empty)	3.215 €
UCB601TPOLPS	/ 010 C
Premium Built-in for Outdoor Solid door	4.810 €
UCB601TPXOLPS	4.450 €
Premium Built-in for Outdoor Solid door UCB601TPOI	
Premium Built-in for Outdoor	4.710 €
UCB601TPX0L	10150
Premium Built-in for Outdoor	4.345 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Capacity wille cettal (buttles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle	
holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41

EFFICIENCY	
	G
New Energy Label class	
Energy consumption (kWh/year)	122
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGE	
	1
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YFS
Low vibration	YFS
Shelves	4
Type of shelves	GLASS/WOOD
Freezer drawers	1

ACCESSORIES

- Stainless steel tubular handle
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer • Beverage shelf
- Beverage removable shelf

- Set of knives
- Prosciutteria kit

Filaba

UCB601TPO

BUILT-IN

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL PREMIUM OUTDOOR



UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCB601TPO (right hinge)	4.365€
UCB601TPOX _(right hinge, MODEL X empty)	4.000 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle	44
holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
	1

EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	122	
DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	865	
Width of the product (mm)	598	
Depth of Product without handle (mm)	576	
Net Weight (kg)	59	
Gross Weight (kg)	74	
TEMPERATURE RANGE		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8	
Compartment 2 / Middle Temperature ranges (°C)	1	
Low temp zone	NO	
Compartment 3 / Low Temperature ranges (°C)	1	
Dual zone	NO	
GENERAL PROPERTIES		
Reversible door	YES	
Low vibration	YES	
Shelves	4	
Type of shelves	GLASS/WOOD	
Freezer drawers	1	

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria kit



UCB601TGM

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL GRAN MAESTRO INDOOR BUILT-IN

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UCB601TGM	4.405 €
(right hinge)	
UCB601TGMX (right hinge, MODEL X empty)	4.005 €
(1.g.1. 1go) 1.10522 1. 0p. 1)	
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
CENEDAL DEODEDIES	
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom drawers	1

ACCESSORIES

- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

• Kit Prosciutteria



UCB601TGMO

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL GRAN MAESTRO OUTDOOR BUILT-IN

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UCB601TGMO	4.860 €
(right hinge)	4.000 0
UCB601TGMOX (right hinge, MODEL X empty)	4.255 €
(Highermingo, Flobet Xompey)	
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom drawers	1

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Kit Prosciutteria
- Painting





| Price list - All specifications are subject to change without notice

UNDERCOUNTER: WINE CELLAR

Model: 2T

Width: 60cm

One door, 2 separate Temperature ranges

Upper compartment: Wine cellar Lower compartment: Wine cellar



FEATURES

- Made in Italy.
- · Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Wood sliding shelves with soft closing runner.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	YES
Air filter control	YES
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCW602TP

60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIE






AESTHETIC	
Compressor position	Bottom
Front finish	
Handles	Custom panel ready NO
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCW602TP	4.610 €
(right hinge, MODEL X empty)	4.245 €
UCW602TP0LPS	5.295 €
Premium Built-in for Outdoor Solid door	J.273 t
UCW602TPX0LPS	4.935 €
Premium Built-in for Outdoor Solid door	
UCW602TPOL Premium Built-in for Outdoor	5.195 €
UCW602TPXOL Premium Built-in for Outdoor	4.830 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	/
	1
Volume Compartment 3 (L)	143
Total Net Volume (L)	
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	41
OAL AOTT WITE OCICLI (BUCKES)	71
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle	
holder (bottles)	11
notes (bottos)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Ol: C I	ONLIT









,	9-29	296 mm
	Ø 76.	

G
128
865
598
572
60
75
2
from 4 to 18
from 4 to 18
NO
1
NO
YES
YES
5
WOOD
1

ACCESSORIES

- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

- Set of knives
- Prosciutteria kit

Climatic class

Noise level (dB)

SN/T

41


UCW602TP0


60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM OUTDOOR

BUILT-IN

UNDERCOUNTER®













	-
88	
	į

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCW602TPO (right hinge)	4.850 €
UCW602TPOX (right hinge, MODEL X empty)	4.495€
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	41

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41

1

11

Undercounter glass shelf capacity (cans)
Undercounter drawer capacity (cans)

Undercounter bottom wooden bottle

holder (bottles)

EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	128
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria kit

UCW602TGM

60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM GRAN MAESTRO INDOOR BUILT-IN


UNDERCOUNTER® SERIES











Fhaba



AESTHETIC		
Compressor position	Bottom	
Front finish	Custom panel ready	
Handles	NO	
Interior material finish	Stainless steel	
Dysplay	TFT	
PRICE (VAT and delivery charges not included)		

PRICE (VAT and delivery charges not included)	
UCW602TGM (right hinge)	5.395 €
UCW602TGMX (right hinge, MODEL X empty)	4.850 €

CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	

Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	128

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	

TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO

GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

ACCESSORIES

- Stainless steel tubular handle
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

 Set of knives 	

• Prosciutteria kit



UCW602TGMO


60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL GRAN MAESTRO OUTDOOR


BUILT-IN

UNDERCOUNTER® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT

PRICE (VAT and delivery charges not included)		t included)
	UCW602TGMO (right hinge)	5.710 €
	UCW602TGMOX (right hinge, MODEL X empty)	5.100 €

CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11

Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	128

TECHNICAL DETAILS

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18

Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
CENERAL PROPERTIES	
GENERAL PROPERTIES	

GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom drawers	1

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria Kit
- Painting





UNDERCOUNTER: WINE CELLAR

Model: 1T

Width: 60cm

One door, 1 Temperature ranges

Single compartment: Wine cellar



FEATURES

- Made in Italy.
- · Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCW601TP

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES







The state of	
690	a co
33	
3	J- 66
	20 -
	2425
	2101619
THE PERSON NAMED IN	

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCW601TP	
(right hinge)	3.890 €
UCW601TPX	3.480 €
(right hinge, MODEL X empty) UCW601TPOLPS	
Premium Built-in for Outdoor Solid door	4.935 €
UCW601TPX0LPS	/ F70 C
Premium Built-in for Outdoor Solid door	4.570 €
UCW601TPOL	4.830 €
Premium Built-in for Outdoor	
UCW601TPX0L	4.465 €
Premium Built-in for Outdoor	
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
	•
Undercounter bottom wooden bottle	11
holder (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41









ly	Ø 2 9	296 mm
	Ø 76	

EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

- Stainless steel tubular handle
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

- Set of knives
- Prosciutteria kit

UCW601TP0

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL PREMIUM OUTDOOR

BUILT-IN


UNDERCOUNTER® SERIES






AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCW601TPO (right hinge)	4.495 €
UCW601TPOX (right hinge, MODEL X empty)	4.125 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41











EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
GENERAL PROPERTIES Reversible door	YES
	YES YES
Reversible door	
Reversible door Low vibration	YES

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria kit

UCW601TGM


60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL **GRAN MAESTRO INDOOR BUILT-IN**
















AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Dysplay	TFT

PRICE (VAT and delivery charges not included)	
UCW601TGM (right hinge)	4.730 €
UCW601TGMX (right hinge, MODEL X empty)	4.365 €

(right hings, Mobel & chipty)	
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11

TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	122	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	

TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO

GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

ACCESSORIES

- Stainless steel tubular handle
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

 Set of knives 	

• Prosciutteria kit




UCW601TGMO

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL GRAN MAESTRO OUTDOOR BUILT-IN

UNDERCOUNTER® SERIES








AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UCW601TGM0	5.100 €
(right hinge)	3.100 C
UCW601TGMOX (right hinge, MODEL X empty)	4.620 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom drawers	1

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria Kit
- Painting

UNDERCOUNTER: TRIMODE DRAWERS

Width: 90/75/60cm







TRIMODE DRAWERS

UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 90cm

Two drawers, 1 Temperature ranges

Single compartment: TriMode (Fridge/Fresco/Freezer)



FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Trimode system: Fhiaba patented Trimode drawers con be set to 3 different microclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / bulit-in
- Fully extractable drawers with soft closing guides
- Aisi 304 stainless steel interior
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	1
Slide-out shelves	1
Type of shelves	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	1
Defrost Process	AUTOMATIC
lce maker with water filter	AVAILABLE ONLY OF GRAN MAESTRO
Door Open Alarms	NO
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D90P

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC		
Compressor position	Bottom	
Front finish	Custom panel ready	
Handles	NO	
Interior material finish	Stainless steel	
Display	OLED	
PRICE (VAT and delivery charges not incuded)		
UC2D90P	5.710 €	
UC2D90P0L	6.750 €	
Premium Built-In for Outdoor	0.700 0	
CAPACITY		
Volume Compartment 1 (L)	175	
Volume Compartment 2 (L)	1	
Volume Compartment 3 (L)	1	
Total Net Volume (L)	175	
Total gross volume (L)	1	
CAPACITY wine cellar (bottles)	1	
Undercounter glass shelf capacity (cans)	1	
Undercounter drawer capacity (cans)	1	
Undercounter bottom wooden bottle holder (bottles)	1	
TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50/60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	E	
Energy consumption (kWh/year)	219	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	572
Net Weight (kg)	79
Gross Weight (kg)	94
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D90P0

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	t included)
UC2D90PO	6.315 €
UC2D90POL Premium Built-In for Outdoor	6.510€
CAPACITY	
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	175
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D90GM

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO INDOOR BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UC2D90GM	6.670 €
UC2D90GMI	7.605€
(with ice maker)	7.000 C
CAPACITY	
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	175
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	572
Net Weight (kg)	79
Gross Weight (kg)	94
TEMPERATURE	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device



UC2D90GMO

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL GRAN MAESTRO OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UC2D90GM0	6.920 €
UC2D90GMOI (with ice maker)	7.860 €
(loo manor)	
CAPACITY	
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	175
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
_	
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Bottom drawers	2

- Cleaning kit
- FLD Fhiaba Link Device
- Painting





TRIMODE DRAWERS

UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 75cm

Two drawers, 1 Temperature ranges

Single compartment: TriMode (Fridge/Fresco/Freezer)



FEATURES

- Made in Italy.
- · Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Trimode system: Fhiaba patented Trimode drawers con be set to 3 different microclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Fully extractable drawers with soft closing guides
- Low vibration compressor
- Full range of models and configurations can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	1
Slide-out shelves	1
Type of shelves	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	1
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE ONLY OF GRAN MAESTRO
Door Open Alarms	NO
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D75P

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panle ready
Handles	NO
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	t included)
UC2D75P	5.335 €
UC2D75POL	6.510 €
Premium Built-In for Outdoor	
CAPACITY	
Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	572
Net Weight (kg)	69
Gross Weight (kg)	84
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D75P0

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC	Dottom
Compressor position Front finish	Bottom
	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	ot included)
UC2D75P0	6.065€
CAPACITY	
Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D75GM

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO INDOOR BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC Compressor position Bottom Front finish Custom panel ready Handles NO Interior material finish Stainless steel Display TFT PRICE (VAT and delivery charges not included) UC2D75GM 6.550 € UC2D75GMI 7.480 € CAPACITY
Front finish Custom panel ready Handles NO Interior material finish Display TFT PRICE (VAT and delivery charges not included) UC2D75GM 6.550 € UC2D75GMI (with ice maker) CAPACITY
Handles Interior material finish Stainless steel Display TFT PRICE (VAT and delivery charges not included) UC2D75GM 6.550 € UC2D75GMI (with ice maker) CAPACITY
Interior material finish Display TFT PRICE (VAT and delivery charges not included) UC2D75GM 6.550 € UC2D75GMI (with ice maker) CAPACITY
Display TFT PRICE (VAT and delivery charges not included) UC2D75GM 6.550 € UC2D75GMI (with ice maker) 7.480 €
PRICE (VAT and delivery charges not included) UC2D75GM 6.550 € UC2D75GMI (with ice maker) 7.480 € CAPACITY
UC2D75GM 6.550 € UC2D75GMI 7.480 € CAPACITY
UC2D75GMI (with ice maker) 7.480 € CAPACITY
(with ice maker) CAPACITY 7.480 €
CAPACITY
Volume Compartment 1 (L) 141
Volume Compartment 2 (L)
Volume Compartment 3 (L)
Total Net Volume (L) 141
Total gross volume (L)
Capacity wine cellar (bottles)
Undercounter glass shelf capacity (cans) /
Undercounter drawer capacity (cans) /
Undercounter bottom wooden bottle holder (bottles)
TECHNICAL DETAILS
Voltage (V) 220-240V
Frequency (Hz) 50/60 Hz
Climatic class SN/T
Noise level (dB) 41
EFFICIENCY
New Energy Label class E
Energy consumption (kWh/year) 207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	572
Net Weight (kg)	69
Gross Weight (kg)	84
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2
ACCECCODIEC	

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device



UC2D75GMO

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UC2D75GM0	6.805 €
UC2D75GMOI (with ice maker)	7.735 €
CAPACITY	
Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Bottom drawers	2
ACCESSORIES	

- Cleaning kit
- FLD Fhiaba Link Device
- Painting







UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 60cm

Two drawers, 1 Temperature ranges

Single compartment: TriMode (Fridge/Fresco/Freezer)



FEATURES

- Made in Italy.
- · Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Trimode system: Fhiaba patented Trimode drawers con be set to 3 different microclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Fully extractable drawers with soft closing guides
- Low vibration compressor
- Full range of models and configurations can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	1
Slide-out shelves	1
Type of shelves	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	1
Defrost Process	AUTOMATIC
lce maker with water filter	NO
Door Open Alarms	NO
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D60P

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	ot included)
UC2D60P	5.215 €
UC2D60POL Premium Built-In for Outdoor	6.265 €
CAPACITY	
Volume Compartment 1 (L)	107
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	107
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D60P0

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**



UNDERCOUNTER® SERIES



AECTUETIC	
AESTHETIC	Dettern
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	t included)
UC2D60P0	5.820 €
CAPACITY	
Volume Compartment 1 (L)	107
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	107
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	66
Gross Weight (kg)	81
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D60GM

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO INDOOR BUILT-IN**



UNDERCOUNTER® SERIES



AESTHETIC						
Compressor position	Bottom					
Front finish	Custom panel ready					
Handles	NO					
Interior material finish	Stainless steel					
Display	TFT					
PRICE (VAT and delivery charges not included)						
UC2D60GM	6.425 €					
CAPACITY						
Volume Compartment 1 (L)	107					
Volume Compartment 2 (L)	1					
Volume Compartment 3 (L)	1					
Total Net Volume (L)	107					
Total gross volume (L)	1					
Capacity wine cellar (bottles)	1					
Undercounter glass shelf capacity (cans)	1					
Undercounter drawer capacity (cans)	1					
Undercounter bottom wooden bottle holder (bottles)	1					
TECHNICAL DETAILS						
Voltage (V)	220-240V					
Frequency (Hz)	50/60 Hz					
Climatic class	SN/T					
Noise level (dB)	41					
EFFICIENCY						
New Energy Label class	Е					
Energy consumption (kWh/year)	244					

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device



UC2D60GMO

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC		
Compressor position	Bottom	
Front finish	Stainless steel	
Handles	Stainless steel 0 18mm	
Interior material finish	Stainless steel	
Display	TFT	
PRICE (VAT and delivery charges no	t included)	
UC2D60GM	6.425 €	
CAPACITY		
Volume Compartment 1 (L)	107	
Volume Compartment 2 (L)	1	
Volume Compartment 3 (L)	1	
Total Net Volume (L)	107	
Total gross volume (L)	1	
Capacity wine cellar (bottles)	1	
Undercounter glass shelf capacity (cans)	1	
Undercounter drawer capacity (cans)	1	
Undercounter bottom wooden bottle holder (bottles)	1	
TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50/60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	E	
Energy consumption (kWh/year)	262	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	598
Net Weight (kg)	60
Gross Weight (kg)	75
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Bottom drawers	2

- Cleaning kit
- FLD Fhiaba Link Device
- Painting

UNDERCOUNTER: ACCESSORIES



	Code	Series	Model Ref	Description	Price
		INDOOR OUTDOOR	UCW UCB	Right hinge (standard)	FREE
		INDOOR OUTDOOR	UCW UCB	Left hinge (on request)	FREE
ubular handles AISI 304					
	Code	Series	Model Ref	Description	Price
	H08	Indoor	UC2D90	Tubular handle, round section Ø30 mm (794 mm/ 31.2 in)	250 €
	Н07	Indoor	UC2D75	Tubular handle, round section Ø30 mm (644 mm/25.3 in)	240 €
	H05	Indoor	UC2D60 UCW UCB	Tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	230€
	НСУИ	Indoor	UCW UCB	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	195€
	HC8	Indoor	UC2D90	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	195 €
	НС7	Indoor	UC2D75	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	185 €
	HC5	Indoor	UC2D60	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	175€
Pulizia e Igiene					
	Code	Series	Model Ref	Description	Price
IFE	RP00KP	Indoor Outdoor	UC2D UCW UCB	Cleaning kit microfiber cloth and magic sponge	80€
	RP00FA	Gran Maestro	UC2D90GMI UC2D75GMI	Water filter cartridge	110 €
	ACF	Indoor Outdoor	UCW UCB	Activated carbon filter	70 €



Fhiaba Link Device					
T Mada Ellik Device	Code	Series	Model Ref	Description	Price
	FLDUC	INDOOR OUTDOOR	UC2D UCW UCB	Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.	505€
Navigation door lock kit					
	Code	Series	Model Ref	Description	Price
	KBN	INDOOR OUTDOOR	UC2D UCW UCB	Navigation door lock kit	835 €
Color box	Code	Series	Model Ref	Description	Price
	CARTCOL	OUTDOOR PANELS	UC2D UCW UCB	Fhiaba colour chart	425€
Painting	0.1	C. i.e.	M. L.I.D. C	D	D.:
	Code	Series	Model Ref UC2D	Description	Price
		Indoor Outdoor	UCW UCB	Front Front Panel	840 €
		Indoor Outdoor	UC2D UCW UCB	Тор	170 €
		Indoor Outdoor	UC2D UCW UCB	Handles	170 €
Staintess steel panels (for	0 30 SS Tubular h	nandles)			
	Code	Series	Model Ref	Description	Price
	PF62D30MM	Indoor	UC2D60	Drawer stainless steel panels - 60 cm	675 €
	PF72D30MM	Indoor	UC2D75	Drawer stainless steel panels - 75 cm	700 €
	PF92D30MM	Indoor	UC2D90	Drawer stainless steel panels - 90 cm	715 €
	PF6W30MM	Indoor	UCB60 UCW60	Glass door stainless panel - 60 cm	765€
Staintess steel panels (for					
	Code	Series	Model Ref	Description	Price
	PF62D18MM	Indoor	UC2D60	Drawer stainless steel panels - 60 cm	675 €
	PF72D18MM	Indoor	UC2D75	Drawer stainless steel panels - 75 cm	700 €
	PF92D18MM	Indoor	UC2D90	Drawer stainless steel panels - 90 cm	715 €
	PF6W18MM	Indoor	UCB60 UCW60	Glass door stainless panel - 60 cm	765€

UNDERCOUNTER: ACCESSORIES



Stainless steel top					
	Code	Series	Model Ref	Description	Price
	TIUC60	Indoor Outdoor	UC2D90	Stainless steel top	595 €
	TIUC75	Indoor Outdoor	UC2D75	Stainless steel top	630 €
	TIUC90	Indoor Outdoor	UC2D60 UCW UCB	Stainless steel top	640€
Cheese drawers					
	Code	Series	Model Ref	Capacity	Price
	NCTBUC	Indoor Outdoor	UCB UCW	28,8 lt	665€
	NCTSUC	Indoor Outdoor	UCB UCW	16,3 lt	640 €

The drawers for storing the cheese are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood. With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access. On the bottom a perforated steel plate for perfect humidity and hygiene. All fresh food can be stored in the drawer by setting the appropriate Temperature ranges in the cellar display.

temperature ranges in the cettar dis	ptay.	,	,		
Beverage drawers					
	Code	Series	Model Ref	Description	Price
	NBGDUC	Indoor Outdoor	UCB	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 20,2 L.)	355 €
Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSFUC	Indoor Outdoor	UCB UCW	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 da 33/50 cc)	265 €
Removable Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSUC	Indoor Outdoor	UCB UCW	Removable 6mm tempered glass shelves (cans capacity:42 da 33/50 cc)	330 €



Cigar drawers						
	Code	Series	Model Ref	Capacity	Price	
	NCSGBUC	Indoor Outdoor	UCB UCW	28,8 lt	640 €	
	NCSGSUC	Indoor Outdoor	UCB UCW	16,3 lt	605 €	

The drawers for storing the cigar are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood.

With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access.

wood handle for easy access.					
3/4 bottle support					
	Code	Series	Model Ref	Description	Price
	NWSFUC	Indoor Outdoor	UCB	3/4 length fixed natural oak wooden bottle support installed on the bottom of the appliance	300 €
Wine wooden shelf					
	Code	Series	Model Ref	Description	Price
	NWSGUC	Indoor Outdoor	UCW UCB	Wine wooden shelf	345 €
Prosciutteria kit					
	Code	Series	Model Ref	Description	Price
	KPUC	Indoor Outdoor	UCB UCW	Prosciutteria kit	740 €



blast chiller	45				
VERSIONS	STAINLESS STEE	L BLACK	MIRROR	CUSTOM COLOR	BLACK HANDLE LESS
		·	·	·	·
	BF451	BF45B	BF45M	BF45V	BF45HL

vacuum drawers 45	15		
VERSIONS STAINLESS STEEL	STAINLESS STEEL HANDLE LESS	BLACK HANDLE LESS	CUSTOM COLOR HANDLE LESS
VD45I	VD15I	VD15B	VD15V





BLAST CHILLER

Model: BF

Width: 60cm



FEATURES

- The Fhiaba blast chiller is part of an entire system: it integrates with the brand's fridges and undercounter models; it can also be adapted to the dimensions of standard cooking systems, making it possible to transfer food directly from the oven to the blast chiller without changing the pan.
- Built-in
- Flush installation
- Tubular handles in AISI 304 stainless steel 30 mm diameter
- Total black model without handle
- Can be combined with the built-in vacuum sealer drawer
- Polished 304 stainless steel interiors
- Display TFT 4.3" full touch
- Minimum Temperature ranges -40°C
- Maximum Temperature ranges +75°C
- 11 functions: 8 cold and 3 hot
 - Cold functions
 - 1. Blast chilling
 - 2. Freezing
 - 3. Pre-cooling
 - 4. Cooling
 - 5. Storage at 0°
 - 6. Drinks
 - 7. Defrosting
 - 8. Blast chilling raw fish
 - Hot functions
 - 9. Proofing
 - 10. Ready-to-eat
 - 11. Slow cooking
- Temperature ranges probe

GENERAL PROPERTIES	
Metal racks	3
Temperature ranges probe	YES

BF45

60 cm, BLAST CHILLER **BUILT-IN**

BLAST CHILLER® SERIES





PRICE (VAT and delivery charges not	t included)
BF45I Display: Stainless Steel Door: Stainless Steel Handle: Stainless steel 0 30mm	4.245€
BF45B Display: Black glass Door: Black glass Handle: Stainless steel 0 30mm	4.245€
BF45M Display: Mirror glass Door: Mirror glass Handle: Stainless steel 0 30mm	4.245€
BF45V Display: custom colour Door: custom colour Handle: Stainless steel 0 30mm	on request
BF45HL Display: Black glass Door: Black glass Handle: without handle	4.610 €
CAPACITY	
Total Net Volume (L)	38
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz

DIMENSIONS & WEIGHT	
Internal dimensions (mm)	470 x 397 x 210
External dimensions (mm)	598 x 570 x 456
Net Weight (kg)	38
Gross Weight (kg)	45
TEMPERATURE RANGES	
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -35 to 75
GENERAL PROPERTIES	
Door finge	Bottom, flap opening
Cavity material	STAINLESS STEEL
Shelves	3
Type of shelves	Metal racks





Total mirror

Total black - handle less





Total stainless Steel

Total black



Fhaba



VACUUM DRAWER

Model: VD

Width: 45 and 15 cm



FEATURES

Inspired by professional kitchen equipment, the Vacuum Drawer Fhiaba is a chamber vacuum sealer that is designed to be integrated into your kitchen. Able to reach a vacuum level approaching absolute zero, it is indispensable for sous-vide cooking, and keeping solid food and liquids fresh for up to five times longer.

The Vacuum Drawer Fhiaba comes with a high-performance pump and a virtually indestructible, heavy-duty vacuum chamber. The internal tank is designed to hold glass jars and plastic packs.

The Vacuum Drawer Fhiaba comes in two heights: 45 cm (extractable with a handle), and 15 cm with a push-pull opening system.

VD45

45 cm, VACUUM DRAWER **BUILT-IN**

VACUUM DRAWER® SERIES





PRICE (VAT and delivery charges no	t included)
VD45I Door: Stainless steel Handle: Stainless steel 0 30mm	4.730 €
CAPACITY	
Total Net Volume (L)	17,10
TECHNICAL DETAILS	
Voltage (V)	230 V
Frequency (Hz)	50 Hz
Noise level (dB)	56
DIMENSIONS & WEIGHT	
Bar sealer lengths (mm)	306
Max. pack sizes (mm)	300 x 400
Net Weight (kg)	42
Gross Weight (kg)	64
Dimensions of the recessed - niche height (mm)	450
GENERAL PROPERTIES	
Lid	Bottom, flap opening
Maximum lid opening angle	60° ± 3°
Max tray projection during operation (mm)	510
Controls	4 capacitive touch sensors
Tank material	Technopolymer
Exterior shell material	Food safe
Cycle time	> 3 minutes
Max empty cycle time	3 minutes
Access for maintenance	Side doors

VD15

15 cm, VACUUM DRAWER **BUILT-IN**







PRICE (VAT and delivery charges no	t included)
VD15I	3.615 €
Door: Stainless Steel VD15B	0.0.0
Door: Total Black	3.615 €
VD15V	on request
Door: Stainless Steel Custom color	on request
CAPACITY	
Total Net Volume (L)	7
TECHNICAL DETAILS	
Voltage (V)	230/110 V
Frequency (Hz)	50 - 60 Hz
Noise level (dB)	56
Noise rever (np)	J0
DIMENSIONS & WEIGHT	
Bar sealer lengths (mm)	260
Max. pack sizes (mm)	250 x 350
Net Weight (kg)	32
Gross Weight (kg)	54
Dimensions of the recessed -	136
niche height (mm)	100
GENERAL PROPERTIES	
Lid	Tempered glass or transparent,
Liu	glossy technopolymer
Maximum lid opening angle	60° ± 3°
Max tray projection during operation (mm)	435
Controls	4 capacitive touch sensors
Tank material	Technopolymer
Exterior shell material	Food safe
Cycle time	< 1,30 minutes
Max empty cycle time	1 minute
Access for maintenance	Bottom-hinged

VACUUM DRAWERS: ACCESSORIES



Vacuum drawers ACCESSORIES						
	Code	Series	Model Ref	Description	Price	
	RP20SS	Vacuum drawers	VD45 VD15	Bags - cm 20x30	on request	
	RP25SS	Vacuum drawers	VD45 VD15	Bags - cm 25x35	on request	
	RP20BT	Vacuum drawers	VD45 VD15	Cooking bags for low Temperature ranges - cm 20x30	on request	
	RP25BT	Vacuum drawers	VD45 VD15	Cooking bags for low Temperature ranges - cm 25x35	on request	



